Table 27. Obesity among children and adolescents aged 2–19 years, by selected characteristics:United States, selected years 1988–1994 through 2013–2016

Excel version (with more data years and standard errors when available): https://www.cdc.gov/nchs/hus/contents2018.htm#Table_027.

[Data are based on measured height and weight of a sample of the civilian noninstitutionalized population]

Sex, age, race and Hispanic origin, ¹ and percent of poverty level	1988–1994	1999–2002	2003–2006	2009–2012	2013–2016		
2–19 years	Percent of population						
Both sexes ²	10.0	14.8	16.3	16.9	17.8		
Not Hispanic or Latino							
White only	9.2	12.6	14.7	14.0	14.7		
Black or African American only	12.5	18.2	20.7	22.1	20.4		
Asian only					9.8		
Hispanic or Latino				21.8	23.6		
Mexican origin	14.3	20.0	20.9	21.9	24.2		
Boys	10.2	15.5	17.0	17.6	18.1		
Not Hispanic or Latino							
White only	9.7	13.2	15.6	14.4	15.3		
Black or African American only	10.6	16.0	17.4	21.9	17.9		
Asian only					11.9		
Hispanic or Latino				23.7	24.3		
Mexican origin	14.8	23.0	23.2	24.1	24.2		
Girls	9.8	14.1	15.5	16.1	17.5		
Not Hispanic or Latino				-	_		
White only	8.6	12.0	13.7	13.6	14.1		
Black or African American only	14.5	20.5	24.1	22.3	23.0		
Asian only					7.4		
Hispanic or Latino				19.8	22.9		
Mexican origin	13.8	16.9	18.4	19.6	24.2		
Percent of poverty level: ³							
Below 100%	12.6	17.6	18.9	20.9	21.0		
			17.4				
100%–199% 200%–399%	10.2	15.3	17.4	18.5 15.0	20.7		
	9.4 *4 7	14.0		15.9 11 5	16.9		
400% or more	*4.7	12.6	11.0	11.5	12.2		
2–5 years							
Both sexes ²	7.2	10.3	12.5	10.2	11.6		
Not Hispanic or Latino							
White only	5.2	8.7	10.8	6.4	9.9		
Black or African American only	7.8	8.8	14.9	14.7	11.6		
Asian only					*		
Hispanic or Latino				16.5	16.5		
Mexican origin	12.3	13.1	16.7	15.7	15.1		
Boys	6.2	10.0	12.8	12.0	11.5		
Not Hispanic or Latino							
White only	*4.5	*8.2	11.1	*9.3	9.3		
Black or African American only	7.9	*8.0	13.3	*14.3	12.4		
Asian only					*		
Hispanic or Latino				17.9	16.7		
Mexican origin	12.4	14.1	18.8	17.6	13.1		

Table 27. Obesity among children and adolescents aged 2–19 years, by selected characteristics:United States, selected years 1988–1994 through 2013–2016

Excel version (with more data years and standard errors when available): https://www.cdc.gov/nchs/hus/contents2018.htm#Table_027. [Data are based on measured height and weight of a sample of the civilian noninstitutionalized population]

1999-2002 Sex, age, race and Hispanic origin,¹ and percent of poverty level 1988-1994 2003-2006 2009-2012 2013-2016 2-5 years Percent of population Girls 8.2 10.6 12.2 8.4 11.7 Not Hispanic or Latino * White only 5.9 *9.0 10.4 10.4 Black or African American only 7.6 9.6 16.6 15.3 11.0 Asian only - - -- - -- - -- - -Hispanic or Latino - - -- - -- - -14.9 16.3 Mexican origin 12.3 *12.2 14.5 *13.8 17.1 Percent of poverty level:3 Below 100% 9.7 10.9 14.3 12.3 13.5 100%-199% 7.3 *13.8 12.7 11.6 12.6 200%-399% 5.6 *7.6 11.9 11.0 10.4 400% or more *10.0 *5.0 8.2 6-11 years Both sexes² 17.0 17.9 17.9 11.3 15.9 Not Hispanic or Latino White only 10.2 13.6 15.0 13.5 14.0 Black or African American only 14.6 19.8 21.3 26.1 19.8 Asian only - - -- - -- - -- - -12.9 Hispanic or Latino - - -- - -- - -24.4 25.3 Mexican origin 27.0 16.4 21.8 23.7 24.0 Boys 11.6 16.9 18.0 18.3 19.6 Not Hispanic or Latino 10.7 15.5 12.9 17.3 White only 14.0 Black or African American only 17.0 18.6 15.5 12.3 27.6 Asian only - - -- - -- - -- - -Hispanic or Latino 26.1 - - -- - -- - -26.4 Mexican origin 26.5 25.0 28.3 17.5 27.5 Girls 11.0 14.7 15.8 17.4 16.1 Not Hispanic or Latino White only *9.8 13.1 14.4 14.2 10.4 Black or African American only 17.0 22.8 24.0 24.8 24.1 Asian only - - -- - -- - -- - -Hispanic or Latino - - -- - -- - -22.3 24.5 25.8 Mexican origin 15.3 17.1 19.7 23.1 Percent of poverty level:³ Below 100% 19.1 22.0 24.6 20.8 11.4 20.8 100%-199% 11.1 16.4 19.2 18.5 200%-399% 11.7 15.3 16.7 15.8 17.1 400% or more *12.9 *12.2 12.2 *9.2

Table 27. Obesity among children and adolescents aged 2–19 years, by selected characteristics: United States, selected years 1988–1994 through 2013–2016

Excel version (with more data years and standard errors when available): https://www.cdc.gov/nchs/hus/contents2018.htm#Table_027.

[Data are based on measured height and weight of a sample of the civilian noninstitutionalized population]

Sex, age, race and Hispanic origin, ¹ and percent of poverty level	1988–1994	1999–2002	2003–2006	2009–2012	2013–2016		
12–19 years	Percent of population						
Both sexes ²	10.5	16.0	17.6	19.4	20.6		
Not Hispanic or Latino							
White only	10.3	13.7	16.0	17.8	17.2		
Black or African American only	13.4	21.1	22.9	22.9	25.0		
Asian only					8.8		
Hispanic or Latino				22.9	25.9		
Mexican origin	13.8	22.3	21.1	23.8	26.6		
Boys	11.3	16.7	18.2	20.0	20.0		
Not Hispanic or Latino							
White only	11.6	14.6	17.3	17.9	16.3		
Black or African American only	10.7	18.8	18.4	22.0	22.0		
Asian only					9.1		
Hispanic or Latino				25.1	26.7		
Mexican origin	14.1	24.7	22.1	27.0	26.4		
Girls	9.7	15.3	16.8	18.9	21.2		
Not Hispanic or Latino							
White only	8.9	12.6	14.5	17.8	18.1		
Black or African American only	16.3	23.5	27.7	23.7	28.2		
Asian only					8.4		
Hispanic or Latino				20.6	25.0		
Mexican origin	*13.4	19.6	19.9	20.2	26.8		
Percent of poverty level: ³							
Below 100%	15.8	19.8	19.3	23.2	25.7		
100%–199%	11.2	15.1	18.4	22.5	24.3		
200%–399%	9.4	15.7	19.3	17.9	19.3		
400% or more	*	13.9	12.6	13.8	13.7		

- - - Data not available.

* Estimates are considered unreliable. Starting with 2013–2016 data, the reliability of survey percentage estimates was assessed using new multistep National Center for Health Statistics data presentation standards for proportions. Prior to 2013–2016 data, the reliability of estimates was evaluated based on relative standard errors (RSE). Data preceded by an asterisk have an RSE of 20%–30%. Data not shown have an RSE greater than 30%. For more information, see Appendix II, Data presentation standards for proportions; Relative standard error (RSE).

¹Persons of Hispanic and Mexican origin may be of any race. Starting with 1999 data, race-specific estimates are tabulated according to the 1997 *Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity* and are not strictly comparable with estimates for earlier years. The non-Hispanic race categories shown in the table conform to the 1997 Standards. Starting with 1999 data, race-specific estimates are for persons who reported only one racial group. Prior to data year 1999, estimates were tabulated according to the 1977 Standards. Estimates for single-race categories prior to 1999 included persons who reported one race, or if they reported more than one race, identified one race as best representing their race. See Appendix II, Hispanic origin; Race.

²Includes persons of all races and Hispanic origins, not just those shown separately.

³Percent of poverty level was calculated by dividing family income by the U.S. Department of Health and Human Services' poverty guideline specific to family size, as well as the appropriate year and state. Persons with unknown percent of poverty level are excluded (6% in 2013–2016). See Appendix II, Family income; Poverty.

NOTES: Obesity in youth is defined as body mass index (BMI) at or above the sex- and age-specific 95th percentile of the 2000 Centers for Disease Control and Prevention (CDC) Growth Charts. See: Ogden CL, Flegal KM. Changes in terminology for childhood overweight and obesity. Natl Health Stat Report. 2010 Jun 25;(25):1-5. PubMed PMID: 20939253. Available from: https://www.cdc.gov/nchs/data/nhsr/nhsr025.pdf. BMI equals weight in kilograms divided by height in meters squared. See Appendix II, Body mass index (BMI). In *Health, United States,* the National Health and Nutrition Examination Survey variable Body Mass Index is used to assign persons to BMI categories. Age is at the time of examination. Height is measured without shoes. Data on both age and height were collected during a standardized physical examination conducted in mobile examination centers. Estimates exclude pregnant females. Crude percentages, not age-adjusted percentages, are shown. See *Health, United States, 2013*, Table 70, for earlier data years. Standard errors for selected years are available in the spreadsheet version of this table. Data for additional years are available. See the Excel spreadsheet on the *Health, United States* website at: https://www.cdc.gov/nchs/hus.htm.

SOURCE: NCHS, National Health and Nutrition Examination Survey. See Appendix I, National Health and Nutrition Examination Survey (NHANES).