Table MH11.10 Source of Mental Health Service in the Past Year among Youths Aged 12 to 17, by Age Group: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2011 NSDUH

			TO						AGED						AGED	14.15		AGED 16-17							
0.00	DITE	DITE		IAL		D 41 6	DITE	DUE		12-13		D	RUF	DUE		14-15		D 11 6							
Source of Mental Health Service ¹	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	DHE SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	
SPECIALTY MENTAL	Estillate	Estimate	Estillates	KUF SE	FUF SE	SES	Estimate	Estillate	Estimates	KUF SE	TUF SE	SES	Estillate	Estillate	Estillates	KUF SE	FUF SE	SES	Estillate	Estillate	Estimates	KUF SE	FUF SE	SES	
HEALTH	12.7	12.7	1.00	0.31	0.37	1.22	11.8	12.1	1.02	0.51	0.62	1.23	13.3	13.0	0.98	0.55	0.64	1.16	13.0	12.9	1.00	0.50	0.49	0.97	
Outpatient	11.5	11.6	1.00	0.30	0.36	1.22	10.6	11.0	1.03	0.48	0.61	1.27	12.0	11.7	0.97	0.51	0.61	1.18	11.9	12.0	1.01	0.48	0.48	1.00	
Private Therapist, Psychologist, Psychiatrist, Social Worker, or																									
Counselor	9.8	9.8	1.01	0.27	0.34	1.27	8.6	8.9	1.04	0.44	0.58	1.32	10.3	10.2	0.98	0.48	0.58	1.19	10.3	10.4	1.01	0.45	0.45	1.02	
Mental Health Clinic or Center	2.2	2.2	0.99	0.12	0.13	1.08	1.6	1.7	1.03	0.18	0.21	1.17	2.3	2.1	0.94	0.21	0.20	0.99	2.7	2.8	1.02	0.23	0.27	1.16	
Partial Day Hospital or Day Treatment	1.6	1.5	0.02	0.10	0.12	1.10			0.06	0.17	0.10		1.0		0.02	0.10	0.10	0.07			1.01	0.16	0.10	1.12	
Program In-Home Therapist, Counselor, or	1.6	1.5	0.92	0.10	0.12	1.10	1.4	1.4	0.96	0.17	0.19	1.13	1.9	1.5	0.83	0.19	0.19	0.97	1.5	1.5	1.01	0.16	0.18	1.12	
Family Preservation Worker	3.1	3.2	1.04	0.16	0.20	1.28	3.2	3.5	1.09	0.27	0.30	1.12	3.3	3.3	1.00	0.30	0.36	1.21	2.8	2.9	1.02	0.23	0.25	1.07	
Inpatient or Residential (Overnight or																									
Longer Stay)	2.4	2.3	0.95	0.13	0.15	1.15	2.3	2.1	0.92	0.23	0.26	1.12	2.7	2.5	0.94	0.24	0.30	1.22	2.3	2.3	1.00	0.22	0.22	1.03	
Hospital	1.8	1.8	1.00	0.11	0.12	1.10	1.6	1.6	0.99	0.18	0.19	1.07	2.1	2.0	0.95	0.22	0.25	1.17	1.6	1.7	1.07	0.17	0.21	1.28	
Residential Treatment Center	1.0	0.9	0.91	0.09	0.09	1.03	0.8	0.7	0.85	0.15	0.14	0.91	1.1	1.0	0.86	0.15	0.15	1.02	1.0	1.0	1.02	0.13	0.15	1.18	
Foster Care or Therapeutic Foster																									
Care Home	0.6	0.5	0.93	0.07	0.07	0.99	0.6	0.6	0.94	0.13	0.17	1.34	0.5	0.5	0.93	0.11	0.11	1.01	0.6	0.5	0.92	0.14	0.11	0.79	
EDUCATION ^{2,3}	11.9	12.1	1.01	0.28	0.36	1.28	13.9	13.9	1.00	0.55	0.60	1.10	12.3	12.5	1.02	0.52	0.71	1.37	9.8	10.0	1.02	0.42	0.55	1.28	
School Social Worker, School Psychologist, or School Counselor	8.9	9.1	1.02	0.25	0.33	1.32	10.4	10.4	1.00	0.48	0.56	1.17	9.1	9.4	1.04	0.45	0.62	1.36	7.4	7.7	1.03	0.37	0.50	1.34	
Special School or Program within a Regular School for Students with Emotional or Behavioral Problems	4.3	4.3	1.00	0.19	0.21	1.13	4.8	4.9	1.02	0.33	0.35	1.05	4.6	4.5	0.97	0.35	0.40	1.14	3.6	3.6	1.03	0.28	0.33	1.20	
MEDICAL																									
Pediatrician or Other Family Doctor	2.5	2.5	0.99	0.14	0.13	0.91	2.3	2.1	0.93	0.24	0.24	1.00	2.5	2.4	0.98	0.25	0.24	0.95	2.7	2.8	1.04	0.24	0.27	1.14	

See notes at end of table. (continued)

Table MH11.10 Source of Mental Health Service in the Past Year among Youths Aged 12 to 17, by Age Group: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2011 NSDUH (continued)

	TOTAL								AGED	12-13					AGED	14-15		AGED 16-17						
Source of Mental Health Service ¹	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE		Ratio of SEs		PUF Estimate	Ratio of Estimates		PUF SE	Ratio of SEs		PUF Estimate	Ratio of Estimates	RUF SE		Ratio of SEs	RUF Estimate	_	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ^{3,4} JUVENILE JUSTICE Juvenile Detention Center, Prison, or	5.2	5.3	1.02	0.20	0.27	1.35	4.8	4.9	1.02	0.32	0.46	1.44	5.5	5.4	0.99	0.37	0.52	1.40	5.3	5.5	1.05	0.33	0.32	0.97
Jail ⁵	0.4	0.4	1.05	0.06	0.06	1.05	0.2	0.2	0.91	0.07	0.08	1.18	0.4	0.5	1.15	0.11	0.13	1.24	0.6	0.6	1.02	0.11	0.11	0.99

^{*} Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's mental health detailed tables available at http://www.samhsa.gov/data/; SE = standard error that is associated with the estimate.

NOTE: Ratio of estimates = PUF estimate ÷ RUF estimate; Ratio of SEs = PUF SE ÷ RUF SE.

NOTE: Receipt of mental health services for youths aged 12 to 17 is defined as having received treatment/counseling for emotional or behavioral problems not caused by drug or alcohol use. Respondents with unknown receipt of mental health service information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011.

¹ Respondents could indicate multiple service sources; thus, these response categories are not mutually exclusive.

² Respondents who did not report their school enrollment status, who reported not being enrolled in school in the past 12 months, or who reported being home-schooled were not asked about receipt of mental health treatment/counseling from this source; however respondents who reported not being enrolled in school in the past 12 months were classified as not having received treatment/counseling from this source.

³ Because of revisions to the Source of Youth Mental Health Education Services questions in 2009, these estimates are not comparable with the education services estimates presented before the 2009 NSDUH.

⁴ Includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

⁵ These services were often provided by psychiatrists, psychologists, social workers or counselors who work for the court system.

Table MH11.10 Source of Mental Health Service in the Past Year among Youths Aged 12 to 17, by Age Group: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2011 NSDUH (continued)

	TOTAL								AGED	12-13					AGED	14-15		AGED 16-17						
Source of Mental Health Service ¹	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE		Ratio of SEs		PUF Estimate	Ratio of Estimates		PUF SE	Ratio of SEs		PUF Estimate	Ratio of Estimates	RUF SE		Ratio of SEs	RUF Estimate	_	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ^{3,4} JUVENILE JUSTICE Juvenile Detention Center, Prison, or	5.2	5.3	1.02	0.20	0.27	1.35	4.8	4.9	1.02	0.32	0.46	1.44	5.5	5.4	0.99	0.37	0.52	1.40	5.3	5.5	1.05	0.33	0.32	0.97
Jail ⁵	0.4	0.4	1.05	0.06	0.06	1.05	0.2	0.2	0.91	0.07	0.08	1.18	0.4	0.5	1.15	0.11	0.13	1.24	0.6	0.6	1.02	0.11	0.11	0.99

^{*} Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's mental health detailed tables available at http://www.samhsa.gov/data/; SE = standard error that is associated with the estimate.

NOTE: Ratio of estimates = PUF estimate ÷ RUF estimate; Ratio of SEs = PUF SE ÷ RUF SE.

NOTE: Receipt of mental health services for youths aged 12 to 17 is defined as having received treatment/counseling for emotional or behavioral problems not caused by drug or alcohol use. Respondents with unknown receipt of mental health service information were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011.

¹ Respondents could indicate multiple service sources; thus, these response categories are not mutually exclusive.

² Respondents who did not report their school enrollment status, who reported not being enrolled in school in the past 12 months, or who reported being home-schooled were not asked about receipt of mental health treatment/counseling from this source; however respondents who reported not being enrolled in school in the past 12 months were classified as not having received treatment/counseling from this source.

³ Because of revisions to the Source of Youth Mental Health Education Services questions in 2009, these estimates are not comparable with the education services estimates presented before the 2009 NSDUH.

⁴ Includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

⁵ These services were often provided by psychiatrists, psychologists, social workers or counselors who work for the court system.