## **APPENDIX 2: FULL-TEXT SCREENING CHECKLIST**

Reviewer:	Date:			
Ref ID: Author: Publication Year:				
Did the SR include:	Yes (Include)	Unclear (Include or Exclude) <sup>a</sup>	No (Exclude)	
<ol> <li>Adults (i.e., aged ≥ 18 years), diagnosed with OSA and with or without comorbidities (according to Table 1)</li> </ol>				
<ul> <li>2) The interventions of interest:</li> <li>PAP devices (i.e., APAP, BiPAP, CPAP, EPAP)</li> <li>Oral appliances (i.e., MAD, tongueretaining device)</li> <li>Surgical interventions (i.e., genial tubercle advancement, MMA, nasal surgery, pharyngoplasty, radiofrequency ablation of tissue in soft palate, uvulopalatopharyngoplasty, uvulopalatoplasty)</li> <li>Lifestyle modifications (exercise program, diet or weight-loss program, positional therapy)</li> </ul>				
<ul><li>3) The comparators of interest:</li><li>Inactive control</li><li>Active control</li></ul>				
4) The outcomes of interest:  • Immediate symptoms (sleepiness, fatigue, snoring)  • OSA severity  • Accidents  • Health-related quality of life  • Mortality  • Cardiovascular events  • Type 2 diabetes mellitus  • Cognitive function  • Psychological function  • Compliance  • Change in facial aesthetics (for MMA)  • Adverse events (i.e., any types, including surgical complications, harms, and treatment withdrawal due to adverse events)				

Ref ID: Author: Publication Year:				
Did the SR include:	Yes (Include)	Unclear (Include or Exclude) <sup>a</sup>	No (Exclude)	
<ul><li>5) The study designs of interest:</li><li>SR</li><li>MA</li><li>HTA</li></ul>				
Decision to include the SR:b	Yes □		No □	
Reason(s) for exclusion:	□ Inappropriate study population □ No intervention of interest □ No or inappropriate comparator □ No relevant outcomes □ Irrelevant study design □ Study description only □ Other:			
APAP = autotitrating positive airway pressure; BiPAP = bilevel pressure; EPAP = expiratory positive airway pressure; HTA = MAD = mandibular advancement device; MMA = maxillomand airway pressure; RCT = randomized controlled trial; SR = syst a This will be discussed with a second reviewer.  b If all items above are answered "yes" or "unclear," then the st	health technology asse ibular advancement; O ematic review.	ssment; MA = meta-an	alysis;	

Did the SR report any data relevant to another research question (RQ)? ☐ Yes: RQ# \_\_\_\_ ☐ No

Interventions for the Treatment of Obstructive Sleep Apnea in Adults: A Health Technology Assessment – PROJECT PROTOCOL