

NLM Citation: Drugs and Lactation Database (LactMed) [Internet]. Bethesda (MD): National Library of Medicine (US); 2006-. Necitumumab.

[Updated 2018 Dec 3].

Bookshelf URL: https://www.ncbi.nlm.nih.gov/books/



Necitumumab

Revised: December 3, 2018.

CASRN: 906805-06-9

Drug Levels and Effects

Summary of Use during Lactation

No information is available on the clinical use of necitumumab during breastfeeding. Because necitumumab is a large protein molecule with a molecular weight of 145,000, the amount in milk is likely to be very low and absorption is unlikely because it is probably destroyed in the infant's gastrointestinal tract. However, the manufacturer recommends that women receiving necitumumab should not breastfeed during therapy or for 3 months following the final dose.

Necitumumab is a human immunoglobulin G1 (IgG1) kappa antibody. Holder pasteurization (62.5 degrees C for 30 minutes) decreases the concentration of endogenous immunoglobulin G by up to 79%.[1][2] A study of 67 colostrum samples that underwent Holder pasteurization found that IgG amounts decreased by 34 to 40%. Specific IgG subclasses decreased by different amounts, with IgG1 activity decreasing by about 37%.[3] None of the studies measured IgG activity.

Drug Levels

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

References

1. Koenig A, de Albuquerque Diniz EM, Barbosa SF et al. Immunologic factors in human milk: The effects of gestational age and pasteurization. J Hum Lact. 2005;21:439-43. PubMed PMID: 16280560.

Disclaimer: Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site .

- 2. Adhisivam B, Vishnu Bhat B, Rao K et al. Effect of Holder pasteurization on macronutrients and immunoglobulin profile of pooled donor human milk. J Matern Fetal Neonatal Med. 2018;1-4. PubMed PMID: 29587541.
- 3. Rodriguez-Camejo C, Puyol A, Fazio L et al. Antibody profile of colostrum and the effect of processing in human milk banks: Implications in immunoregulatory properties. J Hum Lact. 2018;34:137-47. PubMed PMID: 28586632.

Substance Identification

Substance Name

Necitumumab

CAS Registry Number

906805-06-9

Drug Class

Breast Feeding

Lactation

Antibodies, Monoclonal

Antineoplastic Agents