

**NLM Citation:** Drugs and Lactation Database (LactMed) [Internet]. Bethesda (MD): National Library of Medicine (US); 2006-. Velpatasvir.

[Updated 2019 Feb 7]. **Bookshelf URL:** https://www.ncbi.nlm.nih.gov/books/

Velpatasvir **V**elpatasvir



Revised: February 7, 2019.

CASRN: 1377049-84-7

# **Drug Levels and Effects**

# **Summary of Use during Lactation**

Velpatasvir has not been studied in nursing mothers being treated for hepatitis C infection. Because it is greater than 99% bound to maternal plasma proteins, amounts in breastmilk are likely to be very low. Some sources recommend against breastfeeding when velpatasvir is used with ribavirin.

Hepatitis C is not transmitted through breastmilk[1][2] and breastmilk has been shown to inactivate hepatitis C virus (HCV).[3][4] However, the Centers for Disease Control recommends that mothers with HCV infection should consider abstaining from breastfeeding if their nipples are cracked or bleeding. It is not clear if this warning would apply to mothers who are being treated for hepatitis C.

**Disclaimer:** Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site .

Infants born to mothers with HCV infection should be tested for HCV infection; because maternal antibody is present for the first 18 months of life and before the infant mounts an immunologic response, nucleic acid testing is recommended.[1][2]

### **Drug Levels**

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

#### **Effects in Breastfed Infants**

Relevant published information was not found as of the revision date.

#### **Effects on Lactation and Breastmilk**

Relevant published information was not found as of the revision date.

### **Alternate Drugs to Consider**

(Hepatitis C) Interferon Alfa, Interferon Alfacon-1, Peginterferon Alfa

### References

- 1. Cottrell EB, Chou R, Wasson N et al. Reducing risk for mother-to-infant transmission of hepatitis C virus: A systematic review for the U.S. Preventive Services Task Force. Ann Intern Med. 2013;158:109-13. PubMed PMID: 23437438.
- 2. Workowski KA, Bolan GA. Sexually transmitted diseases treatment guidelines, 2015. MMWR Recomm Rep. 2015;64:1-137. PubMed PMID: 26042815.
- 3. Pfaender S, Heyden J, Friesland M et al. Inactivation of hepatitis C virus infectivity by human breast milk. J Infect Dis. 2013;208:1943-52. PubMed PMID: 24068703.
- 4. Tovo PA, Calitri C, Scolfaro C et al. Vertically acquired hepatitis C virus infection: Correlates of transmission and disease progression. World J Gastroenterol. 2016;22:1382-92. PubMed PMID: 26819507.

### **Substance Identification**

### Substance Name

Velpatasvir

## **CAS Registry Number**

1377049-84-7

## **Drug Class**

**Breast Feeding** 

Lactation

**Antiviral Agents** 

**NS5A Inhibitors**