




Tolnaftate

Revised: October 31, 2018.

CASRN: 2398-96-1



Drug Levels and Effects

Summary of Use during Lactation

Topical tolnaftate has not been studied during breastfeeding and no data are available on the extent of its absorption after topical application. Because it is probably poorly absorbed after topical application, it is considered a low risk to the nursing infant. Avoid application to the nipple area and ensure that the infant's skin does not come into direct contact with the areas of skin that have been treated. Only water-miscible cream, gel or liquid products should be applied to the breast because ointments may expose the infant to high levels of mineral paraffins via licking.[1]

Drug Levels

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

References

1. Noti A, Grob K, Biedermann M et al. Exposure of babies to C(15)-C(45) mineral paraffins from human milk and breast salves. *Regul Toxicol Pharmacol.* 2003;38:317-25. PubMed PMID: 14623482.

Substance Identification

Substance Name

Tolnaftate

CAS Registry Number

2398-96-1

Drug Class

Breast Feeding

Lactation

Anti-Infective Agents

Antifungal Agents