

U.S. National Library of Medicine National Center for Biotechnology Information **NLM Citation:** Drugs and Lactation Database (LactMed) [Internet]. Bethesda (MD): National Library of Medicine (US); 2006-. Technetium Tc 99m Albumin Aggregated. [Updated 2019 Jun 30]. **Bookshelf URL:** https://www.ncbi.nlm.nih.gov/books/



**Technetium Tc 99m Albumin Aggregated** 

Revised: June 30, 2019.

CASRN: 877046-93-0

# **Drug Levels and Effects**

## Summary of Use during Lactation

Information in this record refers to the use of technetium Tc 99m albumin aggregated (Tc 99m macroaggregated albumin; Tc 99m MAA) as a diagnostic agent. Breastfeeding should be interrupted for 12 to 13 hours after administration of Tc 99m albumin aggregated.[1][2][3][4][5]During the period of interruption, the breasts should be emptied regularly and completely. If the mother has expressed and saved milk prior to the examination, she can feed it to the infant during the period of nursing interruption.[4][6][7] The milk that is pumped by the mother during the time of breastfeeding interruption can either be discarded or stored refrigerated and given to the infant after 10 physical half-lives, or about 60 hours, have elapsed.[5][6][7]

Mothers concerned about the level of radioactivity in their milk could ask to have it tested at a nuclear medicine facility at their hospital. When the radioactivity is at a safe level they may resume breastfeeding. A method for measuring milk radioactivity and determining the time when a mother can safely resume breastfeeding has been published.[8]

For nursing mothers who work with Tc 99m substances in their workplace, there is no need to take any precautions other than those appropriate for general radiation protection.[9]

## **Drug Levels**

Tc 99m is a gamma emitter with a principal photon energy of 140.5 keV and a physical half-life of 6.024 hours. [1] The effective half-life of Tc 99m MAA averages 4.3 hours (range 2.6 to 7.9 hours).[6]

## **Effects in Breastfed Infants**

Relevant published information was not found as of the revision date.

## **Effects on Lactation and Breastmilk**

Relevant published information was not found as of the revision date.

**Disclaimer:** Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site .

#### References

- Howe DB, Beardsley M, Bakhsh S. Appendix U. Model procedure for release of patients or human research subjects administered radioactive materials. In, NUREG-1556. Consolidated guidance about materials licenses. Program-specific guidance about medical use licenses. Final report. U.S. Nuclear Regulatory Commission Office of Nuclear Material Safety and Safeguards. 2008;9, Rev. 2. Available at: http:// www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1556/v9/r2/
- 2. Leide-Svegborn S, Ahlgren L, Johansson L et al. Excretion of radionuclides in human breast milk after nuclear medicine examinations. Biokinetic and dosimetric data and recommendations on breastfeeding interruption. Eur J Nucl Med Mol Imaging. 2016;43:808-21. PubMed PMID: 26732471.
- 3. International Atomic Energy Agency. Radiation Protection and Safety in Medical Uses of Ionizing Radiation, IAEA Safety Standards Series No. SSG-46, IAEA, Vienna. 2018. Available at: https://www.iaea.org/publications/11102/radiation-protection-and-safety-in-medical-uses-of-ionizing-radiation
- National Radiation Protection Board (UK). Administration of radioactive substances advisory committee. Notes for guidance on the clinical administration of radiopharmaceuticals and use of sealed radioactive sources. 2019. Available at: https://assets.publishing.service.gov.uk/government/.../file/.../ ARSAC\_NfG\_2019.pdf
- 5. Mitchell KB, Fleming MM, Anderson PO et al. ABM Clinical Protocol #30: Radiology and Nuclear Medicine Studies in Lactating Women. Breastfeed Med. 2019;14:290-4. PubMed PMID: 31107104.
- 6. Mountford PJ, Coakley AJ. A review of the secretion of radioactivity in human breast milk: data, quantitative analysis and recommendations. Nucl Med Commun. 1989;10:15-27. PubMed PMID: 2645546.
- 7. Early PJ, Sodee DB. Principles and practice of nuclear medicine. 2nd ed. St. Louis. Mosby-Year Book, Inc. 1995:1380-1.
- 8. Stabin MG, Breitz HB. Breast milk excretion of radiopharmaceuticals: mechanisms, findings, and radiation dosimetry. J Nucl Med. 2000;41:863-73. PubMed PMID: 10809203.
- 9. Almen A, Mattsson S. Radiological protection of foetuses and breast-fed children of occupationally exposed women in nuclear medicine Challenges for hospitals. Phys Med. 2017;43:172-7. PubMed PMID: 28882410.

## **Substance Identification**

#### **Substance Name**

Technetium Tc 99m Albumin Aggregated

#### **CAS Registry Number**

877046-93-0

#### **Drug Class**

Breast Feeding Lactation Radiopharmaceuticals Technetium Compounds

**Diagnostic Agents** 

Technetium Tc 99m Albumin Aggregated