

Table A.1.5 Unweighted Logistic Regression of Screener Contact: 2006

Variable	Coefficient	Standard Error	P Value	Odds Ratio	Lower 95% OR	Upper 95% OR
Intercept	3.65	0.28	0.0000	38.30	22.23	65.98
Interviewer Gender						
Male (RC)	0.00	0.00		1.00	1.00	1.00
Female	0.27	0.10	0.0098	1.30	1.07	1.59
Interviewer Race/Ethnicity						
White, Non-Hispanic (RC)	0.00	0.00		1.00	1.00	1.00
Black, Non-Hispanic	-0.22	0.12	0.0571	0.80	0.64	1.01
Other, Non-Hispanic	0.13	0.28	0.6417	1.14	0.66	1.97
Hispanic	-0.23	0.11	0.0377	0.80	0.64	0.99
Average Miles per Week during the Quarter						
0 to 135 (RC)	0.00	0.00		1.00	1.00	1.00
136 to 250	0.18	0.11	0.0862	1.20	0.97	1.48
251 to 415	0.14	0.13	0.2727	1.15	0.89	1.49
416+	0.28	0.12	0.0242	1.32	1.04	1.69
Average Hours per Week during the Quarter						
1 to 18 (RC)	0.00	0.00		1.00	1.00	1.00
18.25 to 26	-0.04	0.12	0.7759	0.97	0.76	1.23
26.25 to 35.75	0.02	0.13	0.8893	1.02	0.79	1.32
36+	0.09	0.12	0.4698	1.09	0.86	1.39
Cumulative Interview Count						
1 to 19 (RC)	0.00	0.00		1.00	1.00	1.00
20 to 39	0.06	0.17	0.7344	1.06	0.75	1.49
40 to 59	0.19	0.19	0.3275	1.21	0.83	1.77
60 to 99	-0.17	0.18	0.3280	0.84	0.59	1.19
100 to 249	0.09	0.15	0.5334	1.10	0.82	1.47
250 to 499	-0.06	0.15	0.7153	0.95	0.70	1.28
500 to 749	0.19	0.16	0.2409	1.21	0.88	1.67
750 to 999	0.11	0.16	0.4949	1.11	0.82	1.52
1,000+	0.25	0.16	0.1035	1.29	0.95	1.75

RC = reference category.

Source: Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2006.