

**Table A.1a Substance Use Tables Selected from the List of NSDUH Detailed Tables for Comparison, by Year**

<b>Table No.</b>	<b>Table Name</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>
SUXX.1	Types of Illicit Drug Use in the Lifetime, Past Year, and Past Month among Individuals Aged 12 or Older: Percentages and Standard Errors, XXXX	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D	1.1B & 1.1D
SUXX.2	Marijuana Use in the Lifetime, Past Year, and Past Month among Individuals Aged 12 or Older, by Demographic Characteristics: Percentages and Standard Errors, XXXX	1.31B & 1.31D	1.33B & 1.33D	1.33B & 1.33D	1.33B & 1.33D	1.24B & 1.24D	1.24B & 1.24D	1.24B & 1.24D	1.24B & 1.24D	1.24B & 1.24D	1.24B & 1.24D	1.24B & 1.24D	1.24B & 1.24D
SUXX.3	Nonmedical Use of Pain Relievers in the Lifetime, Past Year, and Past Month among Individuals Aged 12 or Older, by Demographic Characteristics: Percentages and Standard Errors, XXXX	n/a	1.63B & 1.63D	1.63B & 1.63D	1.63B & 1.63D	1.54B & 1.54D	1.54B & 1.54D	1.54B & 1.54D	1.54B & 1.54D	1.54B & 1.54D	1.54B & 1.54D	1.54B & 1.54D	1.54B & 1.54D
SUXX.4	Tobacco Product Use in the Lifetime, Past Year, and Past Month among Youths Aged 12 to 17, by Demographic Characteristics: Percentages and Standard Errors, XXXX	2.26B & 2.26D	2.26B & 2.26D	2.27B & 2.27D	2.27B & 2.27D	2.18B & 2.18D	2.18B & 2.18D	2.18B & 2.18D	2.18B & 2.18D	2.18B & 2.18D	2.18B & 2.18D	2.18B & 2.18D	2.18B & 2.18D
SUXX.5	Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Individuals Aged 12 or Older, by Demographic Characteristics: Percentages and Standard Errors, XXXX	2.50B & 2.50D	2.50B & 2.50D	2.52B & 2.52D	2.52B & 2.52D	2.42B & 2.42D	2.42B & 2.42D	2.42B & 2.42D	2.42B & 2.42D	2.42B & 2.42D	2.42B & 2.42D	2.42B & 2.42D	2.42B & 2.42D

See notes at end of table.

(continued)

**Table A.1a Substance Use Tables Selected from the List of NSDUH Detailed Tables for Comparison, by Year (continued)**

<b>Table No.</b>	<b>Table Name</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>	<b>2013</b>
SUXX.6	Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages and Standard Errors, XXXX	7.1B & 7.1D	7.1B & 7.1D	7.1B & 7.1D	7.1B & 7.1D	7.1B & 7.1D	7.1B & 7.1D	7.1B & 7.1D	6.1B & 6.1D	6.1B & 6.1D	6.1B & 6.1D	6.1B & 6.1D	6.1B & 6.1D
SUXX.7	Types of Illicit Drug Use in the Past Month among Individuals Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Percentages and Standard Errors, XXXX	n/a	n/a	7.21B & 7.21D	7.21B & 7.21D	7.15B & 7.51D	7.17B & 7.17D	7.19B & 7.19D	6.19B & 6.19D	6.19B & 6.19D	6.19B & 6.19D	6.19B & 6.19D	6.19B & 6.19D
SUXX.8	Substance Dependence or Abuse in the Past Year among Individuals Aged 12 or Older, by Demographic Characteristics: Percentages and Standard Errors, XXXX	5.27B & 5.27D	5.27B & 5.27D	5.27B & 5.27D	5.4B & 5.4D	5.4B & 5.4D	5.4B & 5.4D	5.4B & 5.4D	5.4B & 5.4D	5.4B & 5.4D	5.4B & 5.4D	5.4B & 5.4D	5.4B & 5.4D
SUXX.9	Sources Where Pain Relievers Were Obtained for Nonmedical Use in the Past Month among Past Month Users Aged 12 or Older, by Age Group: Percentages and Standard Errors, Annual Averages Based on XXXX-YYYY	n/a	n/a	n/a	n/a	n/a	7.47B & 7.47D	7.49B & 7.49D	6.49B & 6.49D	6.49B & 6.49D	6.49B & 6.49D	6.49B & 6.49D	6.49B & 6.49D

See notes at end of table.

(continued)

**Table A.1a Substance Use Tables Selected from the List of NSDUH Detailed Tables for Comparison, by Year (continued)**

Table No.	Table Name	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
SUXX.10	Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Individuals Aged 12 or Older, by Demographic Characteristics: Percentages and Standard Errors, XXXX	7.75B & 7.75D	7.83B & 7.83D	7.91B & 7.91D	7.89B & 7.89D	7.72B & 7.72D	7.95B & 7.95D	7.97B & 7.97D	6.95B & 6.95D	6.95B & 6.95D	6.95B & 6.95D	6.95B & 6.95D	6.95B & 6.95D
SUXX.11	Perceived Risk of Harm Associated with Substance Use and Perceived Availability of Substances, by Age Group: Percentages and Standard Errors, XXXX	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D	3.1B & 3.1D
SUXX.12	Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Individuals Aged 12 or Older, by Demographic Characteristics: Percentages and Standard Errors, XXXX	5.84B & 5.84D	5.86B & 5.86D	5.90B & 5.90D	5.72B & 5.72D	5.51B & 5.51D	5.51B & 5.51D	5.51B & 5.51D	5.51B & 5.51D	5.51B & 5.51D	5.51B & 5.51D	5.51B & 5.51D	5.51B & 5.51D

B = table of percentages; D = table of standard errors (SEs); n/a = not available; XX = 2-digit year code (values 02, 03,...13); XXXX and YYYY = years 2002, 2003,...2013.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002 to 2013.