

**Table SU04.4 Tobacco Product Use in the Lifetime, Past Year, and Past Month among Youths Aged 12 to 17, by Demographic Characteristics: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2004 NSDUH**

Demographic Characteristic	LIFETIME						PAST YEAR						PAST MONTH					
	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
<b>TOTAL</b>	32.7	33.0	1.01	0.42	0.42	0.99	22.1	22.3	1.01	0.38	0.42	1.11	14.4	14.4	1.00	0.32	0.34	1.08
<b>GENDER</b>																		
Male	33.7	34.1	1.01	0.57	0.69	1.21	22.7	22.9	1.01	0.49	0.60	1.22	15.3	15.3	1.00	0.43	0.48	1.11
Female	31.6	31.8	1.01	0.61	0.50	0.83	21.4	21.7	1.01	0.53	0.54	1.01	13.5	13.4	1.00	0.43	0.44	1.01
<b>HISPANIC ORIGIN AND RACE</b>																		
Not Hispanic or Latino	33.3	33.5	1.01	0.46	0.45	0.98	22.7	22.9	1.01	0.41	0.45	1.11	15.1	15.2	1.00	0.35	0.37	1.08
White	36.1	36.4	1.01	0.52	0.54	1.06	25.8	26.1	1.01	0.48	0.55	1.15	17.5	17.6	1.01	0.42	0.47	1.12
Black or African American	25.1	24.9	0.99	1.00	0.98	0.98	13.2	13.4	1.01	0.72	0.86	1.19	7.8	7.9	1.01	0.60	0.68	1.13
American Indian or Alaska Native	*	51.3	*	*	6.37	*	*	39.3	*	*	6.00	*	*	21.0	*	*	4.59	*
Native Hawaiian or Other Pacific Islander	*	48.6	*	*	11.78	*	*	13.8	*	*	5.31	*	*	6.6	*	*	2.57	*
Asian	14.8	15.5	1.05	1.97	2.32	1.18	8.2	8.2	1.00	1.45	1.55	1.06	5.7	6.1	1.05	1.26	1.29	1.03
Two or More Races	37.2	35.6	0.96	2.72	2.68	0.99	22.5	20.9	0.93	2.42	2.11	0.87	15.4	13.7	0.88	2.26	1.71	0.76
Hispanic or Latino	30.0	30.5	1.02	1.03	1.30	1.26	18.9	19.3	1.02	0.91	1.06	1.16	11.0	10.7	0.97	0.69	0.71	1.03
<b>GENDER/RACE/HISPANIC ORIGIN</b>																		
Male, White, Not Hispanic	37.0	37.1	1.00	0.70	0.69	0.99	26.4	26.5	1.00	0.63	0.72	1.15	18.4	18.4	1.00	0.56	0.66	1.18
Female, White, Not Hispanic	35.2	35.7	1.01	0.74	0.79	1.05	25.2	25.6	1.01	0.68	0.77	1.14	16.4	16.7	1.01	0.58	0.60	1.03
Male, Black, Not Hispanic	26.1	26.1	1.00	1.42	1.67	1.17	14.4	14.7	1.01	1.06	1.28	1.21	8.6	9.1	1.05	0.91	1.00	1.10
Female, Black, Not Hispanic	24.2	23.6	0.98	1.29	1.31	1.01	11.9	12.1	1.01	0.95	1.14	1.19	7.0	6.7	0.95	0.75	0.95	1.26
Male, Hispanic	29.8	30.9	1.04	1.37	2.00	1.46	18.2	18.7	1.03	1.14	1.36	1.20	11.4	11.1	0.98	1.02	1.04	1.03
Female, Hispanic	30.1	30.1	1.00	1.59	1.81	1.14	19.7	20.0	1.02	1.40	1.71	1.22	10.5	10.1	0.97	1.01	1.03	1.02

\* Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.

NOTE:  $Ratio\ of\ estimates = PUF\ estimate \div RUF\ estimate$ ;  $Ratio\ of\ SEs = PUF\ SE \div RUF\ SE$ .

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2004.