

Table SU05.7 Types of Illicit Drug Use in the Past Month among Individuals Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2005 NSDUH

| Drug | CIGARETTE AND ALCOHOL USE IN PAST MONTH | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--------------|--------------------|--------|--------|--------------|----------------------------|--------------|--------------------|--------|--------|--------------|----------------------------|--------------|--------------------|--------|--------|--------------|--------------------------------|--------------|--------------------|--------|--------|--------------|
| | Cigarettes and Alcohol | | | | | | Cigarettes But Not Alcohol | | | | | | Alcohol But Not Cigarettes | | | | | | Neither Alcohol Nor Cigarettes | | | | | |
| | RUF Estimate | PUF Estimate | Ratio of Estimates | RUF SE | PUF SE | Ratio of SEs | RUF Estimate | PUF Estimate | Ratio of Estimates | RUF SE | PUF SE | Ratio of SEs | RUF Estimate | PUF Estimate | Ratio of Estimates | RUF SE | PUF SE | Ratio of SEs | RUF Estimate | PUF Estimate | Ratio of Estimates | RUF SE | PUF SE | Ratio of SEs |
| ILLCIT DRUGS¹ | 24.9 | 24.8 | 0.99 | 0.61 | 0.70 | 1.15 | 10.3 | 10.0 | 0.97 | 0.65 | 0.61 | 0.95 | 6.4 | 6.3 | 0.98 | 0.28 | 0.30 | 1.09 | 2.1 | 2.2 | 1.05 | 0.14 | 0.15 | 1.12 |
| Marijuana and Hashish | 20.7 | 20.5 | 0.99 | 0.56 | 0.62 | 1.10 | 7.4 | 7.1 | 0.96 | 0.52 | 0.51 | 0.97 | 4.5 | 4.5 | 1.00 | 0.23 | 0.23 | 1.02 | 0.8 | 0.9 | 1.04 | 0.08 | 0.08 | 1.00 |
| Cocaine | 4.2 | 4.0 | 0.95 | 0.28 | 0.28 | 0.99 | 1.1 | 1.1 | 0.99 | 0.24 | 0.31 | 1.26 | 0.4 | 0.4 | 1.03 | 0.06 | 0.05 | 0.92 | 0.1 | 0.1 | 0.97 | 0.03 | 0.03 | 1.13 |
| Crack | 1.0 | 1.0 | 0.92 | 0.14 | 0.14 | 1.02 | 0.7 | 0.6 | 0.88 | 0.19 | 0.20 | 1.02 | 0.1 | 0.1 | 1.00 | 0.04 | 0.02 | 0.48 | 0.0 | 0.0 | 1.06 | 0.01 | 0.02 | 1.06 |
| Heroin | 0.2 | 0.2 | 0.97 | 0.04 | 0.03 | 0.84 | 0.2 | 0.2 | 1.03 | 0.06 | 0.07 | 1.15 | 0.0 | 0.0 | 0.85 | 0.01 | 0.01 | 0.81 | 0.0 | 0.0 | 1.26 | 0.00 | 0.00 | 0.83 |
| Hallucinogens | 1.6 | 1.5 | 0.93 | 0.15 | 0.11 | 0.76 | 0.6 | 0.6 | 0.96 | 0.19 | 0.19 | 1.00 | 0.3 | 0.2 | 0.88 | 0.04 | 0.03 | 0.81 | 0.1 | 0.1 | 0.88 | 0.02 | 0.02 | 1.00 |
| LSD | 0.2 | 0.2 | 1.04 | 0.03 | 0.03 | 1.09 | 0.0 | 0.1 | 1.33 | 0.02 | 0.04 | 1.45 | 0.0 | 0.0 | 1.11 | 0.01 | 0.01 | 1.06 | 0.0 | 0.0 | 1.36 | 0.00 | 0.00 | 1.38 |
| PCP | 0.1 | 0.1 | 1.11 | 0.02 | 0.03 | 1.21 | 0.0 | 0.0 | 0.81 | 0.04 | 0.03 | 0.92 | 0.0 | 0.0 | 1.07 | 0.00 | 0.00 | 1.12 | * | 0.0 | * | * | 0.00 | * |
| Ecstasy | 0.9 | 0.8 | 0.98 | 0.08 | 0.08 | 1.01 | 0.1 | 0.1 | 0.98 | 0.05 | 0.05 | 1.09 | 0.1 | 0.1 | 0.94 | 0.02 | 0.02 | 0.99 | 0.0 | 0.0 | 0.69 | 0.01 | 0.01 | 0.87 |
| Inhalants | 0.5 | 0.5 | 0.99 | 0.07 | 0.08 | 1.13 | 0.3 | 0.2 | 0.92 | 0.06 | 0.05 | 0.89 | 0.1 | 0.1 | 0.71 | 0.03 | 0.02 | 0.61 | 0.2 | 0.2 | 1.04 | 0.04 | 0.05 | 1.36 |
| Nonmedical Use of Psychotherapeutics ² | 7.2 | 7.1 | 0.98 | 0.32 | 0.34 | 1.08 | 3.2 | 3.3 | 1.01 | 0.37 | 0.42 | 1.14 | 2.1 | 2.0 | 0.97 | 0.16 | 0.17 | 1.12 | 1.1 | 1.2 | 1.08 | 0.11 | 0.12 | 1.13 |
| Pain Relievers | 5.4 | 5.1 | 0.95 | 0.27 | 0.29 | 1.08 | 2.1 | 2.1 | 1.00 | 0.28 | 0.31 | 1.12 | 1.4 | 1.4 | 0.97 | 0.13 | 0.14 | 1.11 | 0.8 | 0.9 | 1.04 | 0.09 | 0.10 | 1.02 |
| OxyContin [®] | 0.6 | 0.7 | 1.10 | 0.08 | 0.10 | 1.28 | 0.1 | 0.1 | 0.92 | 0.05 | 0.05 | 0.93 | 0.1 | 0.1 | 0.86 | 0.02 | 0.02 | 1.03 | * | 0.0 | * | * | 0.00 | * |
| Tranquilizers | 2.3 | 2.4 | 1.05 | 0.18 | 0.18 | 0.97 | 1.1 | 1.1 | 0.96 | 0.26 | 0.27 | 1.04 | 0.6 | 0.5 | 0.98 | 0.08 | 0.08 | 1.05 | 0.2 | 0.2 | 1.26 | 0.03 | 0.05 | 1.48 |
| Stimulants | 1.5 | 1.5 | 1.01 | 0.13 | 0.14 | 1.09 | 0.6 | 0.5 | 0.96 | 0.14 | 0.14 | 1.05 | 0.3 | 0.3 | 0.98 | 0.04 | 0.05 | 1.06 | 0.1 | 0.1 | 1.12 | 0.02 | 0.03 | 1.29 |
| Methamphetamine | 0.8 | 0.9 | 1.07 | 0.10 | 0.12 | 1.15 | 0.3 | 0.3 | 1.04 | 0.10 | 0.11 | 1.04 | 0.1 | 0.1 | 0.72 | 0.02 | 0.02 | 0.91 | 0.0 | 0.0 | 1.22 | 0.02 | 0.02 | 1.45 |
| Sedatives | 0.3 | 0.3 | 0.93 | 0.06 | 0.07 | 1.03 | 0.1 | 0.1 | 1.01 | 0.04 | 0.02 | 0.44 | 0.1 | 0.1 | 0.73 | 0.04 | 0.03 | 0.86 | 0.0 | 0.1 | 1.13 | 0.02 | 0.03 | 1.28 |
| ILLCIT DRUGS OTHER THAN MARIJUANA¹ | 11.0 | 10.7 | 0.98 | 0.41 | 0.44 | 1.08 | 4.5 | 4.5 | 1.00 | 0.46 | 0.49 | 1.09 | 2.6 | 2.5 | 0.96 | 0.17 | 0.19 | 1.13 | 1.4 | 1.5 | 1.06 | 0.12 | 0.13 | 1.14 |

* Low precision; no estimate reported.

LSD = lysergic acid diethylamide; PCP = phencyclidine; PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.NOTE: $Ratio\ of\ estimates = PUF\ estimate \div RUF\ estimate$; $Ratio\ of\ SEs = PUF\ SE \div RUF\ SE$.¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005.