

Table SU09.4 Tobacco Product Use in the Lifetime, Past Year, and Past Month among Youths Aged 12 to 17, by Demographic Characteristics: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2009 NSDUH

Demographic Characteristic	LIFETIME						PAST YEAR						PAST MONTH					
	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
TOTAL	27.1	27.3	1.01	0.42	0.42	1.01	19.5	19.4	1.00	0.38	0.39	1.05	11.8	11.6	0.99	0.29	0.28	0.97
GENDER																		
Male	30.2	30.4	1.00	0.58	0.63	1.08	22.7	22.6	0.99	0.54	0.58	1.07	13.8	13.6	0.99	0.42	0.40	0.97
Female	23.8	24.1	1.01	0.54	0.54	1.01	16.2	16.1	1.00	0.46	0.50	1.07	9.6	9.6	0.99	0.38	0.41	1.09
HISPANIC ORIGIN AND RACE																		
Not Hispanic or Latino	27.2	27.3	1.01	0.45	0.42	0.94	19.6	19.5	1.00	0.39	0.40	1.02	12.2	12.3	1.00	0.31	0.31	1.00
White	29.7	30.0	1.01	0.54	0.46	0.86	22.2	22.2	1.00	0.49	0.47	0.98	13.9	14.0	1.00	0.39	0.35	0.89
Black or African American	21.0	21.0	1.00	0.93	1.03	1.10	12.5	12.3	0.98	0.79	0.94	1.18	7.6	7.6	1.00	0.61	0.73	1.19
American Indian or Alaska Native	46.6	45.3	0.97	4.62	4.51	0.98	26.6	26.8	1.01	3.65	3.87	1.06	16.5	17.4	1.05	2.76	3.07	1.11
Native Hawaiian or Other Pacific Islander	*	24.1	*	*	7.72	*	*	18.0	*	*	7.45	*	*	12.4	*	*	6.61	*
Asian	10.7	10.4	0.97	1.55	1.67	1.08	5.4	5.0	0.92	1.09	1.02	0.94	3.3	3.1	0.94	0.86	0.95	1.09
Two or More Races	27.9	27.7	0.99	2.82	3.03	1.08	20.6	21.2	1.03	2.44	2.86	1.18	14.7	15.0	1.02	2.08	2.44	1.17
Hispanic or Latino	26.7	27.3	1.02	1.03	1.19	1.16	19.3	19.3	1.00	0.97	0.99	1.02	9.8	9.0	0.92	0.66	0.77	1.17
GENDER/RACE/HISPANIC ORIGIN																		
Male, White, Not Hispanic	32.9	33.1	1.01	0.71	0.71	1.00	25.6	25.6	1.00	0.67	0.69	1.02	16.1	16.2	1.00	0.55	0.51	0.92
Female, White, Not Hispanic	26.4	26.7	1.01	0.73	0.76	1.05	18.7	18.6	0.99	0.63	0.64	1.02	11.6	11.6	1.00	0.52	0.53	1.01
Male, Black, Not Hispanic	23.4	23.3	1.00	1.39	1.35	0.97	14.8	14.8	1.00	1.18	1.23	1.04	9.4	9.5	1.02	0.98	1.08	1.10
Female, Black, Not Hispanic	18.7	18.6	1.00	1.29	1.35	1.05	10.1	9.8	0.96	1.00	1.11	1.11	5.8	5.6	0.97	0.77	0.74	0.96
Male, Hispanic	31.0	31.1	1.00	1.51	1.76	1.16	23.6	23.0	0.97	1.50	1.53	1.02	11.8	10.7	0.90	1.04	1.18	1.13
Female, Hispanic	22.2	23.3	1.05	1.27	1.40	1.10	14.7	15.3	1.04	1.08	1.22	1.13	7.6	7.3	0.96	0.80	1.00	1.26

* Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.

NOTE: Some 2009 RUF estimates and SEs may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: $\text{Ratio of estimates} = \text{PUF estimate} \div \text{RUF estimate}$; $\text{Ratio of SEs} = \text{PUF SE} \div \text{RUF SE}$.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2009.