

Table SU10.4 Tobacco Product Use in the Lifetime, Past Year, and Past Month among Youths Aged 12 to 17, by Demographic Characteristics: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2010 NSDUH

Demographic Characteristic	LIFETIME						PAST YEAR						PAST MONTH					
	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
TOTAL	25.1	25.5	1.02	0.42	0.47	1.14	18.1	18.4	1.01	0.37	0.43	1.17	10.7	10.9	1.01	0.28	0.33	1.16
GENDER																		
Male	27.5	28.1	1.02	0.58	0.55	0.96	20.2	20.5	1.02	0.52	0.58	1.11	12.3	12.4	1.01	0.42	0.47	1.13
Female	22.6	22.8	1.01	0.56	0.70	1.24	16.0	16.1	1.00	0.50	0.64	1.28	9.1	9.2	1.01	0.36	0.46	1.29
HISPANIC ORIGIN AND RACE																		
Not Hispanic or Latino	25.6	26.0	1.02	0.45	0.47	1.05	18.6	18.8	1.01	0.40	0.45	1.12	11.2	11.3	1.01	0.32	0.38	1.18
White	27.7	28.0	1.01	0.53	0.55	1.03	21.1	21.2	1.01	0.49	0.52	1.06	12.8	12.9	1.01	0.40	0.46	1.18
Black or African American	20.1	21.0	1.05	0.98	1.12	1.14	11.8	12.0	1.02	0.79	0.97	1.23	6.6	6.8	1.03	0.57	0.67	1.17
American Indian or Alaska Native	47.0	46.6	0.99	4.19	3.32	0.79	30.0	30.1	1.01	3.64	3.54	0.97	19.8	20.3	1.03	3.15	3.12	0.99
Native Hawaiian or Other Pacific Islander	*	20.7	*	*	5.61	*	*	14.2	*	*	4.70	*	*	10.2	*	*	4.58	*
Asian	11.0	11.5	1.04	1.61	1.73	1.08	7.1	7.8	1.10	1.40	1.54	1.10	4.1	4.4	1.06	1.07	1.17	1.08
Two or More Races	30.5	29.9	0.98	2.51	2.55	1.02	18.7	18.9	1.01	2.03	1.98	0.98	11.0	10.4	0.95	1.56	1.63	1.04
Hispanic or Latino	23.3	23.6	1.01	0.95	1.16	1.22	16.3	16.6	1.02	0.83	1.01	1.22	8.9	9.0	1.02	0.61	0.64	1.04
GENDER/RACE/HISPANIC ORIGIN																		
Male, White, Not Hispanic	30.4	31.0	1.02	0.73	0.70	0.96	23.3	23.6	1.01	0.68	0.72	1.06	14.3	14.4	1.01	0.56	0.66	1.18
Female, White, Not Hispanic	24.8	25.0	1.01	0.75	0.83	1.10	18.8	18.8	1.00	0.69	0.79	1.15	11.3	11.4	1.01	0.52	0.67	1.29
Male, Black, Not Hispanic	22.0	22.5	1.02	1.51	1.69	1.13	14.4	14.3	0.99	1.19	1.50	1.26	8.5	8.5	1.00	0.93	1.17	1.25
Female, Black, Not Hispanic	18.2	19.6	1.08	1.28	1.47	1.15	9.1	9.7	1.06	1.00	1.10	1.09	4.7	5.1	1.10	0.64	0.68	1.07
Male, Hispanic	25.5	26.4	1.03	1.23	1.35	1.10	17.6	18.5	1.05	1.12	1.36	1.21	10.9	11.5	1.06	0.97	1.01	1.04
Female, Hispanic	20.9	20.5	0.98	1.35	1.58	1.17	14.8	14.5	0.98	1.23	1.53	1.24	6.8	6.4	0.94	0.76	0.83	1.09

* Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.

NOTE: Some 2010 RUF estimates and SEs may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: $\text{Ratio of estimates} = \text{PUF estimate} \div \text{RUF estimate}$; $\text{Ratio of SEs} = \text{PUF SE} \div \text{RUF SE}$.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010.