

**Table SU12.3 Nonmedical Use of Pain Relievers in the Lifetime, Past Year, and Past Month among Individuals Aged 12 or Older, by Demographic Characteristics: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2012 NSDUH**

Demographic Characteristic	LIFETIME						PAST YEAR						PAST MONTH					
	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
<b>TOTAL</b>	14.2	14.3	1.00	0.24	0.24	1.01	4.8	4.9	1.02	0.14	0.17	1.22	1.9	1.9	1.01	0.08	0.10	1.18
<b>AGE</b>																		
12-17	8.3	8.2	0.99	0.23	0.27	1.17	5.3	5.4	1.01	0.19	0.24	1.26	2.2	2.3	1.02	0.13	0.15	1.17
18-25	22.4	22.6	1.01	0.40	0.40	0.99	10.1	10.1	1.00	0.28	0.32	1.14	3.8	3.7	0.98	0.19	0.23	1.23
26 or Older	13.6	13.6	1.00	0.29	0.31	1.07	3.8	3.9	1.03	0.17	0.21	1.26	1.5	1.5	1.02	0.10	0.11	1.15
<b>GENDER</b>																		
Male	16.5	16.5	1.00	0.37	0.34	0.93	5.4	5.5	1.02	0.22	0.27	1.23	2.1	2.2	1.03	0.12	0.15	1.25
Female	12.1	12.1	1.00	0.29	0.36	1.21	4.2	4.3	1.02	0.17	0.20	1.18	1.7	1.6	0.99	0.10	0.11	1.12
<b>HISPANIC ORIGIN AND RACE</b>																		
Not Hispanic or Latino	14.5	14.4	1.00	0.26	0.30	1.16	4.8	4.8	1.02	0.14	0.16	1.12	1.9	1.9	1.02	0.09	0.10	1.15
White	15.5	15.4	1.00	0.31	0.36	1.17	4.8	4.9	1.02	0.16	0.18	1.08	1.9	2.0	1.03	0.10	0.13	1.24
Black or African American	11.7	11.9	1.02	0.62	0.71	1.16	5.2	5.2	0.99	0.45	0.50	1.11	2.0	2.0	0.98	0.21	0.22	1.03
American Indian or Alaska Native	18.4	18.1	0.98	2.70	3.05	1.13	7.8	7.5	0.96	1.75	1.89	1.08	3.9	3.4	0.87	1.45	1.36	0.94
Native Hawaiian or Other Pacific Islander	*	15.2	*	*	4.08	*	3.1	2.6	0.85	1.08	0.91	0.84	0.4	0.3	0.70	0.16	0.11	0.70
Asian	6.3	6.6	1.03	0.78	0.63	0.80	2.3	2.5	1.08	0.51	0.51	1.00	0.9	0.9	0.99	0.30	0.27	0.88
Two or More Races	17.1	16.6	0.97	1.74	1.83	1.05	5.3	5.0	0.95	0.65	0.65	0.99	2.0	2.0	1.00	0.39	0.40	1.04
Hispanic or Latino	13.1	13.3	1.02	0.63	0.71	1.12	5.1	5.2	1.03	0.39	0.47	1.20	1.7	1.7	0.99	0.18	0.20	1.07

\* Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.

NOTE:  $Ratio\ of\ estimates = PUF\ estimate \div RUF\ estimate$ ;  $Ratio\ of\ SEs = PUF\ SE \div RUF\ SE$ .

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012.