

**Table SU12.4 Tobacco Product Use in the Lifetime, Past Year, and Past Month among Youths Aged 12 to 17, by Demographic Characteristics: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2012 NSDUH**

Demographic Characteristic	LIFETIME						PAST YEAR						PAST MONTH					
	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
<b>TOTAL</b>	21.5	21.6	1.01	0.36	0.41	1.14	15.2	15.3	1.01	0.32	0.37	1.16	8.6	8.8	1.02	0.25	0.30	1.22
<b>GENDER</b>																		
Male	24.0	24.5	1.02	0.55	0.60	1.09	17.2	17.5	1.01	0.48	0.49	1.04	10.0	10.2	1.03	0.37	0.44	1.17
Female	18.8	18.5	0.99	0.48	0.52	1.09	13.2	13.1	0.99	0.41	0.48	1.16	7.2	7.3	1.00	0.30	0.39	1.29
<b>HISPANIC ORIGIN AND RACE</b>																		
Not Hispanic or Latino	21.9	22.1	1.01	0.40	0.43	1.08	15.9	16.0	1.01	0.35	0.42	1.19	9.4	9.6	1.02	0.28	0.35	1.22
White	24.2	24.4	1.01	0.48	0.55	1.15	18.3	18.4	1.01	0.45	0.53	1.19	11.0	11.2	1.02	0.36	0.44	1.22
Black or African American	15.7	16.1	1.03	0.85	0.93	1.09	9.7	9.7	1.00	0.67	0.61	0.92	5.4	5.7	1.05	0.52	0.63	1.21
American Indian or Alaska Native	36.6	36.2	0.99	4.60	5.08	1.11	25.2	24.7	0.98	3.92	3.26	0.83	18.3	18.2	1.00	3.42	3.08	0.90
Native Hawaiian or Other Pacific Islander	*	17.9	*	*	4.59	*	*	9.1	*	*	3.64	*	*	5.9	*	*	3.23	*
Asian	7.2	7.1	0.99	1.19	1.34	1.12	3.6	3.8	1.05	0.83	0.95	1.14	2.0	2.1	1.09	0.65	0.75	1.15
Two or More Races	28.0	28.6	1.02	2.14	2.35	1.10	19.2	19.5	1.02	1.84	1.98	1.08	10.1	10.4	1.03	1.32	1.38	1.05
Hispanic or Latino	20.0	20.0	1.00	0.88	0.99	1.12	13.0	13.0	1.00	0.74	0.78	1.06	5.9	5.9	1.00	0.47	0.54	1.15
<b>GENDER/RACE/HISPANIC ORIGIN</b>																		
Male, White, Not Hispanic	27.3	27.8	1.02	0.69	0.73	1.05	20.8	21.3	1.02	0.66	0.67	1.01	12.8	13.1	1.03	0.53	0.62	1.17
Female, White, Not Hispanic	21.0	20.9	0.99	0.65	0.67	1.04	15.5	15.5	1.00	0.57	0.70	1.23	9.1	9.1	1.00	0.46	0.55	1.21
Male, Black, Not Hispanic	16.9	17.6	1.04	1.22	1.59	1.31	10.5	10.8	1.03	0.94	1.15	1.21	6.7	7.0	1.05	0.76	0.91	1.20
Female, Black, Not Hispanic	14.4	14.4	1.00	1.17	1.20	1.03	8.9	8.4	0.95	0.95	0.94	0.99	4.1	4.3	1.05	0.70	0.75	1.07
Male, Hispanic	22.3	22.8	1.02	1.34	1.45	1.09	14.2	14.1	0.99	1.06	1.00	0.94	6.4	6.3	0.98	0.67	0.79	1.17
Female, Hispanic	17.6	17.2	0.98	1.15	1.30	1.13	11.7	11.8	1.01	0.95	1.03	1.08	5.3	5.5	1.03	0.60	0.71	1.18

\* Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.NOTE:  $Ratio\ of\ estimates = PUF\ estimate \div RUF\ estimate$ ;  $Ratio\ of\ SEs = PUF\ SE \div RUF\ SE$ .

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012.