

Table SU13.4 Tobacco Product Use in the Lifetime, Past Year, and Past Month among Youths Aged 12 to 17, by Demographic Characteristics: Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2013 NSDUH

Demographic Characteristic	LIFETIME						PAST YEAR						PAST MONTH					
	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs
TOTAL	19.8	19.8	1.00	0.37	0.42	1.14	13.9	13.8	0.99	0.32	0.37	1.14	7.8	7.7	0.98	0.24	0.25	1.06
GENDER																		
Male	22.1	22.3	1.01	0.53	0.57	1.07	15.6	15.6	1.00	0.47	0.47	1.01	9.1	8.9	0.98	0.35	0.31	0.88
Female	17.3	17.1	0.99	0.51	0.52	1.03	12.1	11.9	0.99	0.44	0.52	1.17	6.5	6.5	0.99	0.33	0.40	1.22
HISPANIC ORIGIN AND RACE																		
Not Hispanic or Latino	20.7	20.6	0.99	0.43	0.50	1.16	14.7	14.5	0.99	0.37	0.43	1.17	8.5	8.4	0.99	0.28	0.30	1.09
White	22.9	22.6	0.99	0.51	0.61	1.20	16.8	16.5	0.98	0.45	0.48	1.08	9.9	9.7	0.98	0.35	0.39	1.09
Black or African American	15.8	15.6	0.98	0.82	0.93	1.14	9.8	9.8	1.00	0.71	0.97	1.37	4.9	4.9	1.00	0.54	0.57	1.07
American Indian or Alaska Native	36.9	37.9	1.03	3.98	2.92	0.74	20.3	18.7	0.92	3.45	3.65	1.06	11.4	10.8	0.94	2.46	2.58	1.05
Native Hawaiian or Other Pacific Islander	*	16.3	*	*	6.62	*	7.9	8.7	1.09	2.76	3.35	1.21	7.4	8.5	1.15	2.73	3.34	1.22
Asian	8.0	8.9	1.12	1.37	1.60	1.17	5.6	6.3	1.14	1.15	1.46	1.28	2.9	3.2	1.11	0.75	0.92	1.23
Two or More Races	21.6	22.3	1.03	2.08	2.59	1.25	13.3	12.9	0.97	1.49	1.59	1.07	8.9	8.3	0.94	1.27	1.39	1.10
Hispanic or Latino	16.5	17.0	1.04	0.78	1.01	1.30	11.1	11.3	1.02	0.67	0.75	1.13	5.5	5.3	0.97	0.47	0.50	1.06
GENDER/RACE/HISPANIC ORIGIN																		
Male, White, Not Hispanic	26.0	25.8	0.99	0.73	0.81	1.11	19.1	18.7	0.98	0.64	0.66	1.03	11.5	11.1	0.96	0.51	0.50	0.96
Female, White, Not Hispanic	19.7	19.3	0.98	0.67	0.78	1.16	14.5	14.3	0.99	0.60	0.69	1.16	8.2	8.3	1.01	0.48	0.57	1.18
Male, Black, Not Hispanic	18.1	18.0	0.99	1.27	1.65	1.30	12.0	12.0	0.99	1.15	1.49	1.30	6.1	6.0	1.00	0.84	0.90	1.07
Female, Black, Not Hispanic	13.5	13.0	0.97	1.08	0.92	0.85	7.5	7.5	1.00	0.84	1.13	1.35	3.8	3.8	1.00	0.61	0.73	1.19
Male, Hispanic	17.9	19.2	1.07	1.13	1.31	1.16	11.7	12.4	1.06	0.95	1.02	1.07	6.2	6.4	1.03	0.72	0.79	1.10
Female, Hispanic	15.0	14.8	0.99	1.10	1.22	1.11	10.5	10.2	0.97	0.96	0.98	1.03	4.7	4.2	0.89	0.61	0.62	1.01

* Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.NOTE: $Ratio\ of\ estimates = PUF\ estimate \div RUF\ estimate$; $Ratio\ of\ SEs = PUF\ SE \div RUF\ SE$.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.