

Table MH09.9 Substance Dependence or Abuse in the Past Year among Adults Aged 18 or Older, by Past Year Major Depressive Episode (MDE): Comparison of Percentages and Standard Errors from Restricted-Use File and Public Use File Estimates, 2009 NSDUH

Dependence or Abuse	TOTAL ¹						MDE						NO MDE						
	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	RUF Estimate	PUF Estimate	Ratio of Estimates	RUF SE	PUF SE	Ratio of SEs	
DEPENDENCE OR ABUSE																			
Illicit Drugs ²	2.7	2.7	1.00	0.10	0.12	1.22	8.5	8.4	0.98	0.68	0.72	1.06	2.2	2.2	1.00	0.09	0.11	1.24	
Marijuana	1.5	1.6	1.02	0.07	0.08	1.16	3.8	3.7	0.99	0.40	0.53	1.34	1.4	1.4	1.02	0.07	0.07	1.07	
Illicit Drugs Other Than Marijuana ²	1.4	1.4	0.98	0.08	0.08	1.00	6.1	6.0	0.99	0.61	0.56	0.92	1.1	1.0	0.97	0.07	0.07	1.07	
Alcohol	7.8	7.8	1.01	0.18	0.20	1.10	18.3	18.1	0.99	1.04	1.12	1.08	7.0	7.1	1.01	0.18	0.19	1.04	
Both Illicit Drugs and Alcohol ²	1.2	1.2	1.00	0.07	0.08	1.21	4.5	4.6	1.02	0.52	0.61	1.16	1.0	1.0	0.99	0.06	0.07	1.15	
Illicit Drugs or Alcohol ²	9.2	9.3	1.01	0.20	0.22	1.12	22.4	21.9	0.98	1.11	1.17	1.06	8.3	8.4	1.01	0.20	0.22	1.14	
DEPENDENCE																			
Illicit Drugs ²	1.9	1.9	1.00	0.08	0.09	1.10	6.9	6.8	0.98	0.60	0.64	1.08	1.5	1.5	0.99	0.07	0.09	1.17	
Marijuana	1.0	1.0	1.01	0.05	0.06	1.15	2.9	2.9	1.01	0.36	0.49	1.38	0.8	0.8	1.01	0.05	0.05	1.09	
Illicit Drugs Other Than Marijuana ²	1.1	1.1	0.98	0.07	0.06	0.91	4.9	4.7	0.98	0.52	0.46	0.88	0.8	0.8	0.97	0.06	0.06	1.00	
Alcohol	3.7	3.7	0.99	0.13	0.15	1.15	11.9	11.8	0.99	0.85	0.87	1.01	3.1	3.1	0.98	0.12	0.13	1.11	
Both Illicit Drugs and Alcohol ²	0.5	0.5	0.97	0.04	0.05	1.03	2.5	2.6	1.02	0.38	0.46	1.22	0.4	0.4	0.93	0.04	0.04	1.05	
Illicit Drugs or Alcohol ²	5.1	5.1	0.99	0.15	0.18	1.19	16.3	16.0	0.98	0.95	0.95	1.00	4.3	4.3	0.99	0.14	0.16	1.13	

* Low precision; no estimate reported.

PUF = public use file, which refers to estimates produced from a NSDUH public use file (a PUF is a NSDUH restricted-use file that has undergone statistical disclosure limitation treatment); RUF = restricted-use file, which refers to estimates produced from a NSDUH RUF and published in NSDUH's mental health detailed tables available at <http://www.samhsa.gov/data/>; SE = standard error that is associated with the estimate.

NOTE: Some 2009 RUF estimates and SEs may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: $Ratio\ of\ estimates = PUF\ estimate \div RUF\ estimate$; $Ratio\ of\ SEs = PUF\ SE \div RUF\ SE$.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

¹ Estimates in the Total column represent adults aged 18 or older, including those with unknown past year MDE information.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. These estimates are based on data from the original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2009.