NCBI News, May 2016

Epigenomics database to be retired June 1, 2016

Friday, May 27, 2016

The Epigenomics database, a public repository that was developed to archive genomewide maps of DNA and histone modifications, will be retired on June 1, 2016.

All epigenomics data are available in our GEO resource. If you are specifically interested in the NIH Roadmap Epigenomics Project, we will maintain a page for this project's data.

NCBI launches new Twitter account for NCBI Bookshelf

Monday, May 23, 2016

NCBI has a new Twitter feed - @ncbibooks - to announce new books and documents available on the NCBI Bookshelf. An online resource providing free access to the full text of books and documents in life sciences and health care, the Bookshelf currently provides access to over 4,500 titles.

The Bookshelf is continuously expanding with new materials as well as receiving updates to existing books & documents. Between May 16, 2016 and May 20, for example, 19 new titles were added. Among the new titles are several Agency for Healthcare Research and Quality reports (for example, a comparative effectiveness report on imaging for pretreatment staging of small cell lung cancer), health technology assessments and systematic reviews from Canadian Agency for Drugs and Technologies in Health, and National Institute for Health Research (UK), and World Health Organization guidelines on daily iron supplementation.

Keep on top of the newest releases by following us on Twitter at @ncbibooks!

For general NCBI news, follow us on Twitter, Facebook and LinkedIn.

New NCBI Insights blog post: Fast Sequence Inspection with ORFfinder and SmartBLAST (PubMed Labs)

Monday, May 16, 2016

The latest blog post on NCBI Insights describes the latest PubMed Labs experiment, ORFfinder. ORFfinder is a graphical analysis tool for reading open reading frames (ORFs). See NCBI Insights to read about the new features and leave feedback. We look forward to hearing your thoughts on ORFfinder.

PubMed Labs is an initiative for creating innovative and relevant products by involving you, our user community, from the beginning. It is centered upon our user community, experimentation, learning, and conversation.



RefSeq release 76 is now available

Monday, May 16, 2016

RefSeq release 76 is accessible online, via FTP and through NCBI's programming utilities. This full release incorporates genomic, transcript and protein data available as of May 9, 2016 and includes 97,792,976 records, 63,971,766 proteins, 14,965,826 RNAs, and sequences from 59,995 organisms. The release is provided in several directories as a complete dataset and also as divided by logical groupings.

More information about release 76 can be found in the release notes. For more information about the RefSeq project, please see the RefSeq homepage.

Genome Browsers section added to Gene

Monday, May 16, 2016

Gene pages now have a new link section in the sidebar called "Genome Browsers". This section provides an easy way to access all of your favorite browsers, including:

| | 3 Health (3) | | | | | Signinia N |
|--|--|---|---|--|---|-------------------------------|
| iene | Gene • | | | | (Seet) | |
| | Advaced | | | | | |
| A Report + | | | | Ser | FR: + | Picks addition a |
| | | | | | Table of contents | |
| BRCA1 breast cancer 1 [Homo saplens (human)] | | | | | Summary | |
| Gene (C. 072, spland on 15 May 2016 | | | | | Genomic context | |
| • Sumay | | | | | a a Genomic regions, harts: sys. and produ- | c16 |
| | | | | | Billion Billiography | |
| Official Symb | DIGN of SHIGHT and SHIGHT IN TAXABLE INC. | | | | Phendypen | |
| Official Full Name Tensor Cancer 1 around to miced | | | | | Vacance | |
| Primery Hourse Hours, HEAR, 2020 | | | | | HEV/1 interactions | |
| See related Ensemblish 2010/0000002038 (#PRC20238, MMX 113705, Wage 021714.0000000017425) Gene fige grower codes | | | | | Pathage from Budysterns | |
| Generative protection Codeng | | | | | interactions | |
| Organism Electroladiette | | | | | General game information | |
| Lineage: Exkaysta, Metazoa, Orotata, Gonza, Ventinata, Eshilostore, Manmaka, Eshilos, Esaschortogiles, Prinates, Haplohini, Catartes, Hermidae, Penno Alteo Income en: 1805, PSICH, BRCH, BRCH, FANCE, FINCAE, RMS2, BRCHCAE, FIFF1853 | | | | | Martans, Related (Neutogenetic), Pole Ontorigy | rear teachings, renords, Cere |
| Summary This give encodes a nuclear glocatioptement that gives a true in manctance genome: tablety, and it also acts as a struer sequence. The encoded patient continues shift that have suggestions, DNA distingt a terminary and signal fractional struer and struer and terminary and t | | | | | General protein information | |
| | | | | | NOS Feference Sequences (RefSec) | |
| | | | | | Related sequences | |
| | | | tively spliced transcrip | pt variants, some of which are disease-associated mutations. Note been described for th | is Additional links | |
| Orthodo | | only some of these variants has been described. A relation | ed passadogene, which | is also located on chromosome 17, has been identified. (provided by Refling, May 200 | E Sacur Ideo Al Deboard | |
| | P nous at | only some of these variants has been described. A wilde | ed poeudispene, which | a also located on thransporte 17, has been identified. (provided by Rafflerg May 200 | Getore Brossen | |
| Genomic context | P nous at | only some of these canants has been described. A wilde | ed poeudogene, which | is also located on chromosome 17. Itali leen destified (provided by Betflee, May 200) See BRCA1 in Centre Data/Market Carpendicate Via | Earlie Descriptionaris Genome Data Verein | |
| Genomic contest acation: 17021 | P nous at | only some of these carants has been described A mide | ed poeudogene, which | | (a) (a) Genome Browners Genome Data Viewer | |
| Genomic context Location: 1921 Excelorent: 24 | p toon at | | | See BRCA1 = Centre Data Viewer Carpendia Vie | Left Centors Browners Centers Data Veres Mass Hap Veres | |
| Genomic context Location: 17521 Excercised: 24 According misure | pe touse all | Assarbly | Or | See BRCA1 + Denote Data Mean Edgeworns Me | Life Centere Browsen Center Data Venar State Value Venar (SROUT p13) | |
| Genomic context Location: 17g21 Core count: 24 Acrosofic missue 182 | pr total at Dana Convet | Assembly GROWING DOCT, DODDCHILL, DO | Or 17 | See BRCA1 = Decore Data Meen Experionis Me Econom Ac_200017 11 (x004206 x1)0(443, consistent) | Centore Browsen Genome Data Verser Versitor Verser Versitor Verser Versitor Verser (SROUT) (11) | |
| Genomic context Location: 17521 Excercised: 24 Accordator missore | pe touse all | Assarbly | Or | See BRCA1 + Denote Data Mean Edgeworns Me | Cancere Browsen Cancere Data Veren May Veren Version Veren (SPD-V3 p13) Validato Veren (SPD-V3 p13) Volume Second (SPD-V3 p13) Volume Second (SPD-V3 p13) | |
| Genomic context Location: 17521 Excention: 24 According mission 22 | pr total at Dana Convet | Asserbly Genote al GCT_detection Lto Genote al GCT_detection SC 201 | Or tř | See BRCA1 in Denote Data Untern Educations Vice Location MC_000017 10 (c004Q96_4010(400, complement) MC_000017 10 (c110012_4727500 complement) | A () Concere Browsen Genome Das Verei Verei Verei Verei Vereino Verei (260-31 p1) Verano Verei (260-31 Victorio Verei (260-31 Victorio Vereit | |
| Genomic context Location: 17521 Extension: 24 Acrossics misson 202 | pr total at Dana Convet | Asserbly GROUP at GOLD and State GROUP at 2012 and 2012 at 2012 at 2012 (mining | 0x 17 17 - 96000017.71 | See BRCA1 in Genute Data Meet Experionis Me Sci. (2007) 11 (c)04426 47(2)450 conglement) Ac., (2007) 13 (c)04264 (c)(2)450 conglement) Ac., (2007) 13 (c)(110(12) c)(2)7(0) conglement) (c)(345) | A () Concere Browsen Genome Das Verei Verei Verei Verei Vereino Verei (260-31 p1) Verano Verei (260-31 Victorio Verei (260-31 Victorio Vereit | |
| Genomic context Location: 17521 Excention: 24 According mission 22 | pr total at Dana Convet | Asserbly Genote al GCT_detection Lto Genote al GCT_detection SC 201 | 0+ 17 17 - NC_00007.71 | See BRCA1 = Denote Data Unser Expensions Vice Excession MC_0000171 9(0104026 410(540), complement) MC_0000171 9(010512 4127700, complement) (section 2 | Consolid Biological Constant Data Viewer Version Data Viewer Version Viewer (2010):75 (r11) Violandon Viewer (2010):75 (r11) Constant Viewer (2010):75 (r11) Constant VIDIC | |
| Genomic context Location: 13g21 Excercipion viscoe 302 | pr total at Dana Convet | Assendy GROVE a COLLECTION IN GROVE A COLLECTION IN GROVE A COLLECTION IN IN THE COMPARENT IN | 0v 17 17 .wc_000017.11 | See BRCA1 = Denote Data Unser Expensions Vice Excession MC_0000171 9(0104026 410(540), complement) MC_0000171 9(010512 4127700, complement) (section 2 | (a) (Cencere Browsen Cencere Das Verse Cencere Das Verse May Verse May Verse May Verse Manutor Verse (260-20) Verse (260-20) Cencere Decese (260-20) Cencere Resplete Antemption | |
| Genomic context Location: 1921 Exercised: 24 Acrostics means 522 325 | Produkt all Docks Connel Docks assembly | Assendy GROVE a COLLECTION IN GROVE A COLLECTION IN GROVE A COLLECTION IN IN THE COMPARENT IN | 0+ 17 17 - NC_00007.71 | See BRCA1 = Denote Data Unser Expensions Vice Excession MC_0000171 9(0104026 410(540), complement) MC_0000171 9(010512 4127700, complement) (section 2 | Consolid Biological Structure Consolid Dia Viewel Consolid Dia Viewel V | |
| Genowic context Location: 1921 Case count, 24 Annotation meane 202 205 | pr total at Dana Convet | Assendy GROVE a COLLECTION IN GROVE A COLLECTION IN GROVE A COLLECTION IN IN THE COMPARENT IN | 0+ 17 17 - NC_00007.71 | See BICA1 in Quincie Data Utean Calgorizania Vac Locatori Mc, popiri fri (colardy)5 4310(483, conglammet) MC, popiri fri (colardy)5 4310(483, conglammet) (colarania (colarania | (a) (| |
| Genomic context Location: 17(21) Genomic 24 Accordation mission 32 335 | pe cours of Datas Connet periods assembly between the products | Assembly GROW p3 GCZ_000001062.10 GROW p1 GCZ_00001062.20 GROWING COLONDERSES (Second Second | 0+ 17 17 - NC_00007.71 | See BRCA1 = Denote Data Unser Expensions Vice Excession MC_0000171 9(0104026 410(540), complement) MC_0000171 9(010512 4127700, complement) (section 2 | (a) (| |
| Genomic context Location: 17(21) Genomic 24 Accordation mission 32 335 | Produkt all Docks Connel Jacobus assembly | Assembly GROW p3 GCZ_000001062.10 GROW p1 GCZ_00001062.20 GROWING COLONDERSES (Second Second | 0+ 17 17 - NC_00007.71 | See BRCA1 = Descree Data Mean Edgewords Vice No. 20017 11 (10042)5. 410(483. constement) No. 20017 13 (1110322 41277800 constement) Teams Teams | Constant Biological Biologic | |
| Genomic context Location 17021 Enerotation mission 502 105 | pe cours of Datas Connet periods assembly between the products | Assembly GROW p3 GCZ_000001062.10 GROW p1 GCZ_00001062.20 GROWING COLONDERSES (Second Second | 0+ 17 17 - NC_00007.71 | See BICA1 in Quincie Data Utean Calgorizania Vac Locatori Mc, popiri fri (colardy)5 4310(483, conglammet) MC, popiri fri (colardy)5 4310(483, conglammet) (colarania (colarania | Consolid Biological Structure Consolid Structure Consolid Verses (CROX2) g110 Verses (CROX2) g110 Verses (CROX2) g110 Verses (CROX2) g110 Consolid Verses (CROX2) Consolid Verses (CROX2) g110 Consolid Verses (CROX2) Consolid Verses Consolid Verses (CROX2) Co | |
| Genomic pontati Location: 17021 Eese conent: 24 Accordition mission 32 22 23 Genomic regions Genomic Segurice. | pe cours of Datas Connet periods assembly between the products | Assembly GROW p3 GCZ_000001062.10 GROW p1 GCZ_00001062.20 GROWING COLONDERSES (Second Second | 0+ 17 17 - NC_00007.71 | See BRCA1 = Descree Data Mean Edgewords Vice No. 20017 11 (10042)5. 410(483. constement) No. 20017 13 (1110322 41277800 constement) Teams Teams | Constant Biocencem Constant Biocencem Constant Data Viewer Constant Data Viewer Neutrice (CRC):21 (F1) Note: (CRC):21 (F1) Note: (CRC):21 (F1) Note: (CRC):21 (F1) Constant CONC Restant Information Other Const Dotter: Lines Dotter: Lines Dott | |
| Genomic pontage Location (1921) Exercited in masse 32 335 Genomic regions Genomic Seguracio | pe cours all const const persons assembly b, transcripts, and products NC_2001/T II: Onomouse 17 Bahas Science (const) | Assembly GROW p2 GC7_000001080_20 GROW p2 GC7_000001080_20 GROW p3 GC7_00001080_20 mm = GROW p2 Prinsy Assembly • | 04 17 17 . NC _000017.71 | See BRCA1 = Genore DatUlteer Eagenores Mic Location Mc_000017 10(004006 40(00403, conglement) (contemp (contemp (contemp (contemp) Genome Genome Genome Genome Contemp (contemp) | Constant Browners Constant Data Viewer Constant Data Viewer Viewer (2000-201 pt 1); Viewer (2000-201 pt 1); Viewer (2000-201 pt 1); Viewer (2000-201 pt 1); Constant Viewer (2000-201 pt 1); Constant Viewer (2000-201 pt 1); Constant Viewer (2000-201 pt 1); Constant Viewer (2000-201 pt 1); Data Viewer (2000-201 pt 1); | |
| Genomic potent Location 17071 Cese count 24 Acceletion mission 22 22 22 Genomic regions Genomic regions Genomic Separation Genomic Separation | pe cours all const const persons assembly b, transcripts, and products NC_2001/T II: Onomouse 17 Bahas Science (const) | Asserbly GROAT at GCT_DODDS180_20 GROAT at GCT_DODDS180_20 Intervelop Intervel | Or 17 17 NC 00007 H Notes of Notes of Notes of Notes of Notes of N | See BRCA1 = Genore DatUlteer Eagenores Mic Location Mc_000017 10(004006 40(00403, conglement) (contemp (contemp (contemp (contemp) Genome Genome Genome Genome Contemp (contemp) | Constant Biocencem Constant Data Viewer Constant Data Viewer Viewer (CRO-X7 g11) Viewer (CRO-X7 g11) Viewer (CRO-X7) Viewer (CR | |

Figure 1. The Genome Browsers section is on the right side of Gene record pages (outlined in red).

- The NEWGenome Data Viewer, available for over 300 species
- Map Viewer
- Variation Viewer (human)
- 1000 Genomes browser (human)
- Ensembl
- UCSC

Go to the BRCA1 page or search for your favorite gene to try out the links available.

Gene integrates information from a wide range of species. A gene record may include nomenclature, RefSeqs, maps, pathways, variations, phenotypes, and links to genome-, phenotype-, and locus-specific resources worldwide.

Sequence Viewer version 3.14 upgrades platform

Friday, May 13, 2016

Sequence Viewer 3.14, now available, upgrades the platform to use ExtJS 5. Embedders may need to review their pages and make adjustments to accommodate new APIs.

For a full list of features, improvements and bug fixes, see the release notes.

Sequence Viewer is a graphical view of sequences and color-coded annotations on regions of sequences stored in the Nucleotide and Protein databases.

New NCBI Variation summary page highlights all organisms in dbSNP or dbVar with full assembly annotations

Friday, May 13, 2016

The NCBI Variation summary page lists all available organisms in dbSNP and/or dbVar with full assembly annotations. On this new page, you can quickly find out the types and status of genetic variation data for each organism, as well as links to that data. The list is updated regularly with each dbSNP and dbVar new release.

NCBI launches web-based iCn3D, a new viewer for 3D macromolecular structures

Friday, May 13, 2016

NCBI has created iCn3D 1.0, a new WebGL-based viewer for interactive viewing of 3D macromolecular structures and chemicals on the web. Users no longer need to install a separate application to view structures. With iCn3D 1.0, users can:

- Interactively view 3D structures and corresponding sequence data,
- Interactively view superpositions of similar structures,
- Customize the display of a structure and generate a URL that allows you to share the link,
- And incorporate iCn3D into your own pages.

iCn3D can be accessed from the molecular graphic that appears on the structure summary for any record in the Molecular Modeling Database (MMDB).

The source code for iCn3D is available from GitHub for developers who would like to customize the program and/or contribute code, and for users who would like to run the program on their local computer.

For those who still would like to use Cn3D, the executable program version of the 3D structure viewer, it is still available; you can still access structures in the "Download Structure Data" portlet by selecting "Download: ASN.1(Cn3D)".

NCBI annotates 300th organism with the Eukaryotic Genome Annotation Pipeline

Thursday, May 12, 2016

The NCBI Eukaryotic Genome Annotation Pipeline celebrates the annotation of its 300th organism this month! The lucky 300th is Sinocyclocheilus anshuiensis, a cavefish of interest for its adaptation to subterranean habitats. Vertebrates represent about two thirds of the list of 300, but invertebrates and higher plants are also represented. Recently, NCBI

has annotated the rice (Oryza sativa subspecies Japonica) and the tobacco (Nicotiana tabacum) genomes.

Data produced by the Eukaryotic Genome Annotation Pipeline is available in the Reference Sequences (RefSeq) collection, BLAST non-redundant and organism-specific databases, Gene database, and is downloadable from the NCBI FTP site. See the full list of annotated organisms, and request the annotation of your favorite!

Genome Workbench 2.10.5 now available

Wednesday, May 11, 2016

Genome Workbench 2.10.5 brings a number of new features, improvements and fixes including ProSplign integration, updates to Tree View, and new export functionalities. For the full list of changes, see the release notes.

Preview the new BLAST home page!

Tuesday, May 10, 2016

NCBI has released a new home page for BLAST. This new page is available through a link on the current home page. The current home page will be replaced by the new page on June 9, 2016.

The new design provides improved navigation, a cleaner look, and easier access to new BLAST services, such as running BLAST on the cloud.

Please take a moment to preview the new design. If you have comments or suggestions, please write to blast-help@ncbi.nlm.nih.gov.

NCBI and RCSB PDB to assist ISCB in Sequence-Structure hackathon at ISMB Orlando 2016

Tuesday, May 10, 2016

From the evening of July 8th to the morning of July 11th, NCBI and the Research Collaboratory for Structural Bioinformatics Protein Data Bank (RCSB PDB) will assist the International Society for Computational Biology (ISCB) in hosting a sequence-structure hackathon focused on integrating protein structure information and viewers with genomic sequence and variants, pharmacogenomic binding, and general laboratory practice. To apply for this hackathon, complete this form (approximately 10 minutes to complete). Applications are due **June 1st, 2016 by 5 pm ET**.

This event is for students, postdocs and investigators or other researchers already engaged in the use of JavaScript-based viewers for protein structure visualization and/or genome/ gene/protein sequence browsers. It is open to anyone selected for the hackathon, and registered for the ISMB 2016 meeting.




Figure 1. The new BLAST homepage.

Update: Due to the many potential conflicts for ISMB participants, we have moved all hackathon sessions to the evening, after programming.

Working groups of 5-6 individuals will be formed into five or six teams. These teams will build pipelines and tools to analyze large datasets within a cloud infrastructure. The potential subjects for this iteration are:

- Presenting data to and from JavaScript-viewable protein structures,
- Simplified structure diagrams,
- A digital notebook for structural biologists,
- And pharmacogenomic association in conserved binding sites*.

* Some of the projects will build on APIs feeding data to or extracting data from viewers, so applicants need not be working on JavaScript viewers per se. For example, there is an opportunity to interface existing applications and libraries using any programming language with the Macromolecule Transmission Format (MMTF) for ultrafast access, parsing, and processing of PDB structures.

Please see the application for specific team projects.

Organization

After a brief organizational session, teams will spend three days analyzing a challenging set of scientific problems related to a group of datasets. Participants will analyze and combine datasets in order to work on these problems.

Datasets

Datasets will come from the public repositories housed at the NCBI, PDB and elsewhere.

Products

All pipelines and other scripts, software and programs generated in this course will be added to a public GitHub repository designed for that purpose. A manuscript outlining the design and usage of the software tools constructed by each team will be submitted to an appropriate journal.

Application

To apply, complete this form (approximately 10 minutes to complete). Applications are due **June 1st, 2016 by 5 pm ET**. Participants will be selected from a pool of applicants based on the experience and motivation they provide on the form. Prior participants and applicants are especially encouraged to reapply. The first round of accepted applicants will be notified on June 3rd by 5 pm ET, and have until June 6th at noon to confirm their participation.

If you confirm, please make sure it is highly likely you can attend, as confirming and not attending bars other data scientists from attending this event. We understand this hackathon is going on during an information-dense scientific meeting, so we ask that attendees attend at least part of three out of five scientific sessions in the draft daily schedule. Please include a monitored email address, in case there are follow-up questions.

Note: Participants will need to bring their own laptop to this program. A working knowledge of scripting (e.g., Shell, Python) is necessary to be successful in this event. Knowledge of JavaScript will be particularly helpful in this event. Applicants must be willing to commit to all three days of the event. No financial support for travel, lodging or meals is available for this event. Also note that the event may extend into the evening hours on Friday and/or Saturday. Please make any necessary arrangements to accommodate this possibility. Awards for achievements like "Most Prolific Code Development" will be given at the ISCB awards ceremony on Tuesday.

Please contact ben.busby@nih.gov with any questions.

May 18th webinar: Using VDB BLAST Clients to Search Whole Genome Shotgun Contigs (WGS) and Transcriptome Shotgun Assembly (TSA) Data at the NCBI

Tuesday, May 10, 2016

On May 18th, NCBI will present a webinar that will show attendees how to use the standalone VDB blast programs (blastn_vdb and tblastn_vdb), which are part of the SRA Toolkit, as clients to search whole genome shotgun contigs (WGS) and Transcriptome Shotgun Assembly (TSA) data. WGS, which are partially assembled genome sequences, and TSA, which are transcripts assembled from next-gen RNA-Seq data, are two of the fastest growing categories of sequence data available for BLAST searching.

Through this webinar, you will see how to use the WGS/TSA browser or the EDirect utilities to find the WGS and TSA projects that interest you. You'll also learn how to use an NCBI Perl script to retrieve the database prefixes for taxonomic subsets of WGS databases.

Time and date: May 18th, 2016 12PM Eastern

Registration URL: http://bit.ly/24Ipwu0

After registering, you will receive a confirmation email with information about attending the webinar. After the live presentation, the webinar will be uploaded to the NCBI YouTube channel. Any related materials will be accessible on the Webinars and Courses page; you can also learn about future webinars on this page.

New NCBI video on YouTube: ProSplign comes to Genome Workbench

Friday, May 06, 2016

The newest video on the NCBI YouTube channel, *Genome Workbench: Use ProSplign for Protein to Genomic Alignments*, shows you how to use ProSplign within Genome Workbench. ProSplign is a global alignment tool that produces accurate spliced alignments and locates alignments of distantly related proteins with low similarity.

Subscribe to the NCBI YouTube channel to receive alerts about new videos ranging from quick tips to full webinar presentations.

New NCBI video on YouTube: Submitting BioSample Data to NCBI

Tuesday, May 03, 2016

The newest video on the NCBI YouTube channel, *Submitting BioSample Data to NCBI*, gives you tips to make the BioSample portion of the data submission process easier.

A BioSample is a description of the biological source materials used in experimental assays.

Subscribe to the NCBI YouTube channel to receive alerts about new videos ranging from quick tips to full webinar presentations.

GenBank release 213.0 is now available via FTP

Monday, May 02, 2016

GenBank release 213.0 (04/14/2016) has 193,739,511 "traditional" (non-WGS, non-CON) records containing 211,423,912,047 base pairs of sequence data. In addition, there are 338,922,537 WGS records containing 1,452,207,704,949 base pairs of sequence data, as well as 98,147,566 TSA records containing 87,811,163,676 base pairs of sequence data.

During the 61 days between the close dates for GenBank releases 212.0 and 213.0, the traditional portion of GenBank grew by 4,405,715,980 base pairs and by 3,489,276 sequence records. During that same period, 539,559 records were updated. An average of 66,046 traditional records were added and/or updated per day.

Between releases 212.0 and 213.0, the WGS component of GenBank grew by 52,342,209,341 base pairs and by 5,909,777 sequence records; during the same period, the TSA component of GenBank grew by 5,878,608,582 base pairs and by 6,015,248 sequence records.

The total number of sequence data files increased by 29 with this release. The divisions are as follows:

- BCT: 14 new files, now a total of 238
- CON: 4 new files, now a total of 334
- ENV: 2 new files, now a total of 91
- GSS: 1 new file, now a total of 300
- PAT: 5 new files, now a total of 251

- PRI: 1 less file, now a total of 53
- TSA: 34 new files, now a total of 228
- VRT: 1 less file, now a total of 60

For downloading purposes, please keep in mind that the uncompressed GenBank flat files require approximately 771 GB (sequence files only); the ASN.1 data require approximately 633 GB.

More information about GenBank release 213.0, including current and upcoming changes like the change from GI sequence identifiers to accession.version, is available in the release notes.