

# APPENDIX 10: DETAILED NETWORK META-ANALYSIS RESULTS AND EVALUATION OF CONSISTENCY

Genotype 1  
Treatment-Naive Patients  
All Patients

**TABLE 96: SVR GENOTYPE 1-NAIVE: RELATIVE RISKS AND RISK DIFFERENCE FOR ALL TREATMENT COMPARISONS — RANDOM EFFECTS MODEL**

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF24 + RBV24	PR48	1.48 (1.01 to 1.82)	25.15 (0.68 to 41.08)
SIM12 + SOF12		1.74 (0.98 to 2.01)	38.89 (-1.19 to 49.01)
SOF12 + LDV12		1.86 (1.69 to 2.05)	44.39 (38.84 to 49.69)
SOF8 + LDV8 + RBV8		1.80 (1.55 to 2.01)	41.51 (29.62 to 48.27)
SOF12 + LDV12 + RBV12		1.81 (1.64 to 2.01)	42.35 (35.44 to 48.18)
SOF24 + LDV24 + RBV24		1.88 (1.72 to 2.07)	45.62 (40.11 to 50.88)
T12 PR24-48 RGT q8		1.54 (1.37 to 1.71)	28.26 (19.49 to 35.30)
T12 PR24-48 RGT q12		1.57 (1.34 to 1.76)	29.50 (17.73 to 37.65)
T12 PR48 q8		1.56 (0.97 to 1.91)	28.95 (-1.43 to 43.87)
SOF12 + PR12		1.59 (1.19 to 1.86)	30.52 (10.12 to 41.99)
SOF12 + PR24-48 RGT		1.67 (1.30 to 1.95)	34.90 (16.12 to 45.94)
SIM12 PR24-48 RGT		1.51 (1.34 to 1.69)	26.58 (18.69 to 33.53)
B24 PR28-48 RGT		1.45 (1.26 to 1.63)	23.43 (13.92 to 31.26)
B44 PR48		1.56 (1.20 to 1.85)	29.22 (10.89 to 41.74)
SOF24 + RBV (low dose) 24		0.89 (0.42 to 1.43)	-5.76 (-30.23 to 21.87)
SOF12 + SIM12 + RBV12		1.78 (0.75 to 2.04)	41.31 (-12.94 to 50.39)
SOF12 + RBV12		1.60 (0.85 to 1.92)	31.39 (-7.70 to 45.38)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.85 (1.68 to 2.05)	44.14 (37.54 to 49.90)
DCV24 + ASU24		1.65 (1.44 to 1.86)	34.02 (23.95 to 41.56)
DCV12 + SOF12		1.85 (1.38 to 2.08)	44.41 (20.34 to 51.27)
PAR/RIT12 + OMB12 + DAS12		1.86 (1.55 to 2.07)	44.88 (28.65 to 50.86)
SIM12 + SOF12	SOF24 + RBV24	1.15 (0.66 to 1.73)	12.03 (-27.46 to 40.11)
SOF12 + LDV12		1.25 (1.05 to 1.83)	19.06 (4.94 to 43.51)
SOF8 + LDV8 + RBV8		1.20 (1.00 to 1.76)	15.57 (0.26 to 39.95)
SOF12 + LDV12 + RBV12		1.22 (1.02 to 1.77)	16.88 (2.19 to 40.65)
SOF24 + LDV24 + RBV24		1.27 (1.06 to 1.86)	20.49 (5.53 to 45.04)
T12 PR24-48 RGT q8		1.04 (0.83 to 1.53)	3.20 (-14.84 to 28.36)
T12 PR24-48 RGT q12		1.06 (0.83 to 1.57)	4.29 (-15.05 to 30.26)
T12 PR48 q8		1.04 (0.64 to 1.59)	2.85 (-30.50 to 32.20)
SOF12 + PR12		1.06 (0.80 to 1.55)	4.56 (-16.29 to 29.90)
SOF12 + PR24-48 RGT		1.13 (0.82 to 1.68)	9.69 (-16.25 to 36.37)
SIM12 PR24-48 RGT		1.02 (0.83 to 1.51)	1.55 (-14.96 to 26.68)
B24 PR28-48 RGT		0.98 (0.78 to 1.46)	-1.76 (-19.74 to 24.11)
B44 PR48		1.05 (0.77 to 1.60)	3.96 (-20.40 to 32.25)
SOF24 + RBV (low dose) 24		0.61 (0.37 to 0.82)	-29.45 (-42.88 to -15.59)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF12 + SIM12 + RBV12		1.18 (0.52 to 1.78)	14.00 (-39.56 to 42.34)
SOF12 + RBV12		1.06 (0.67 to 1.41)	4.94 (-22.92 to 24.87)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.24 (1.05 to 1.83)	18.84 (4.20 to 43.12)
DCV24 + ASU24		1.11 (0.90 to 1.65)	8.81 (-8.78 to 34.12)
DCV12 + SOF12		1.24 (0.90 to 1.84)	18.34 (-8.44 to 44.37)
PAR/RIT12 + OMB12 + DAS12		1.25 (1.00 to 1.83)	19.15 (-0.02 to 44.01)
SOF12 + LDV12	SIM12 + SOF12	1.06 (0.96 to 1.89)	5.38 (-3.48 to 44.79)
SOF8 + LDV8 + RBV8		1.03 (0.88 to 1.81)	2.66 (-11.11 to 41.23)
SOF12 + LDV12 + RBV12		1.04 (0.93 to 1.87)	3.23 (-6.76 to 43.59)
SOF24 + LDV24 + RBV24		1.07 (0.97 to 1.94)	6.48 (-2.86 to 47.20)
T12 PR24-48 RGT q8		0.89 (0.75 to 1.60)	-10.31 (-23.75 to 30.36)
T12 PR24-48 RGT q12		0.90 (0.74 to 1.62)	-8.86 (-25.11 to 31.43)
T12 PR48 q8		0.90 (0.57 to 1.62)	-9.62 (-40.54 to 31.10)
SOF12 + PR12		0.92 (0.70 to 1.52)	-7.03 (-27.82 to 25.92)
SOF12 + PR24-48 RGT		0.96 (0.73 to 1.71)	-3.26 (-25.72 to 36.65)
SIM12 PR24-48 RGT		0.87 (0.75 to 1.56)	-12.16 (-24.17 to 28.37)
B24 PR28-48 RGT		0.84 (0.70 to 1.49)	-15.06 (-29.34 to 24.82)
B44 PR48		0.90 (0.69 to 1.64)	-8.92 (-29.55 to 32.77)
SOF24 + RBV(low dose) 24		0.53 (0.24 to 0.99)	-41.42 (-72.13 to -0.76)
SOF12 + SIM12 + RBV12		1.02 (0.50 to 1.47)	1.49 (-40.41 to 28.42)
SOF12 + RBV12		0.93 (0.48 to 1.60)	-6.30 (-48.82 to 31.36)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.06 (0.95 to 1.88)	5.08 (-4.79 to 44.42)
DCV24 + ASU24		0.95 (0.81 to 1.71)	-4.82 (-18.40 to 35.98)
DCV12 + SOF12		1.05 (0.80 to 1.88)	4.85 (-18.67 to 44.16)
PAR/RIT12 + OMB12 + DAS12		1.06 (0.88 to 1.93)	5.37 (-11.49 to 46.64)
SOF8 + LDV8 + RBV8	SOF12 + LDV12	0.97 (0.87 to 1.01)	-2.75 (-12.03 to 0.57)
SOF12 + LDV12 + RBV12		0.98 (0.92 to 1.02)	-1.89 (-7.58 to 1.91)
SOF24 + LDV24 + RBV24		1.01 (0.97 to 1.06)	1.14 (-3.21 to 5.41)
T12 PR24-48 RGT q8		0.83 (0.73 to 0.91)	-16.05 (-25.70 to -8.42)
T12 PR24-48 RGT q12		0.85 (0.72 to 0.93)	-14.82 (-27.51 to -6.39)
T12 PR48 q8		0.84 (0.55 to 0.98)	-15.42 (-43.48 to -2.37)
SOF12 + PR12		0.86 (0.66 to 0.95)	-13.80 (-31.88 to -4.96)
SOF12 + PR24-48 RGT		0.90 (0.71 to 1.01)	-9.39 (-28.40 to 0.74)
SIM12 PR24-48 RGT		0.82 (0.74 to 0.88)	-17.78 (-25.67 to -11.10)
B24 PR28-48 RGT		0.78 (0.68 to 0.87)	-20.96 (-31.19 to -12.43)
B44 PR48		0.84 (0.66 to 0.96)	-15.27 (-33.09 to -3.54)
SOF24 + RBV (low dose) 24		0.48 (0.22 to 0.76)	-50.03 (-74.33 to -23.86)
SOF12 + SIM12 + RBV12		0.97 (0.40 to 1.05)	-2.79 (-56.77 to 4.81)
SOF12 + RBV12		0.87 (0.46 to 1.00)	-12.93 (-51.99 to -0.20)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.00 (0.96 to 1.03)	-0.09 (-4.31 to 2.32)
DCV24 + ASU24		0.89 (0.79 to 0.96)	-10.34 (-20.24 to -3.38)
DCV12 + SOF12		1.00 (0.77 to 1.06)	0.21 (-22.09 to 5.25)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
PAR/RIT12 + OMB12 + DAS12		1.01 (0.83 to 1.06)	0.75 (-16.17 to 5.50)
SOF12 + LDV12 + RBV12	SOF8 + LDV8 + RBV8	1.01 (0.94 to 1.14)	0.87 (-5.93 to 11.71)
SOF24 + LDV24 + RBV24		1.04 (0.98 to 1.18)	3.86 (-1.52 to 15.17)
T12 PR24-48 RGT q8		0.86 (0.75 to 1.00)	-13.10 (-23.65 to -0.40)
T12 PR24-48 RGT q12		0.87 (0.73 to 1.02)	-11.80 (-25.23 to 1.40)
T12 PR48 q8		0.87 (0.57 to 1.05)	-12.26 (-40.38 to 4.28)
SOF12 + PR12		0.89 (0.69 to 1.00)	-10.40 (-28.11 to -0.41)
SOF12 + PR24-48 RGT		0.93 (0.73 to 1.10)	-6.20 (-26.07 to 8.22)
SIM12 PR24-48 RGT		0.84 (0.75 to 0.97)	-14.74 (-23.99 to -2.37)
B24 PR28-48 RGT		0.81 (0.69 to 0.95)	-17.93 (-29.08 to -4.59)
B44 PR48		0.87 (0.68 to 1.04)	-12.09 (-30.46 to 3.57)
SOF24 + RBV (low dose) 24		0.50 (0.23 to 0.78)	-46.26 (-71.15 to -20.47)
SOF12 + SIM12 + RBV12		1.00 (0.42 to 1.16)	-0.09 (-53.25 to 13.49)
SOF12 + RBV12		0.90 (0.48 to 1.06)	-9.63 (-47.61 to 5.28)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.03 (0.97 to 1.15)	2.62 (-2.80 to 12.42)
DCV24 + ASU24		0.92 (0.81 to 1.06)	-7.30 (-18.22 to 5.24)
DCV12 + SOF12		1.03 (0.80 to 1.18)	2.72 (-19.15 to 14.72)
PAR/RIT12 + OMB12 + DAS12		1.03 (0.86 to 1.18)	3.20 (-13.20 to 15.05)
SOF24 + LDV24 + RBV24	SOF12 + LDV12 + RBV12	1.03 (0.98 to 1.11)	3.14 (-1.68 to 9.48)
T12 PR24-48 RGT q8		0.85 (0.75 to 0.94)	-14.06 (-23.81 to -5.11)
T12 PR24-48 RGT q12		0.86 (0.73 to 0.97)	-12.79 (-25.33 to -3.14)
T12 PR48 q8		0.86 (0.56 to 1.01)	-13.38 (-42.12 to 0.80)
SOF12 + PR12		0.88 (0.66 to 0.99)	-11.72 (-31.71 to -0.67)
SOF12 + PR24-48 RGT		0.92 (0.72 to 1.04)	-7.27 (-26.57 to 3.56)
SIM12 PR24-48 RGT		0.83 (0.75 to 0.92)	-15.77 (-23.88 to -7.38)
B24 PR28-48 RGT		0.80 (0.69 to 0.90)	-18.91 (-29.43 to -9.11)
B44 PR48		0.86 (0.67 to 1.00)	-13.05 (-31.38 to -0.26)
SOF24 + RBV (low dose) 24		0.49 (0.23 to 0.78)	-47.82 (-72.07 to -21.17)
SOF12 + SIM12 + RBV12		0.99 (0.41 to 1.09)	-0.79 (-54.40 to 8.49)
SOF12 + RBV12		0.88 (0.47 to 1.03)	-10.91 (-49.52 to 2.79)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.02 (0.96 to 1.09)	1.77 (-4.03 to 7.88)
DCV24 + ASU24		0.91 (0.81 to 1.00)	-8.35 (-18.49 to 0.24)
DCV12 + SOF12		1.02 (0.78 to 1.11)	1.90 (-20.52 to 9.39)
PAR/RIT12 + OMB12 + DAS12		1.03 (0.85 to 1.11)	2.45 (-13.99 to 9.62)
T12 PR24-48 RGT q8	SOF24 + LDV24 + RBV24	0.82 (0.73 to 0.90)	-17.25 (-26.67 to -9.68)
T12 PR24-48 RGT q12		0.84 (0.71 to 0.92)	-16.07 (-28.34 to -7.55)
T12 PR48 q8		0.83 (0.54 to 0.97)	-16.68 (-44.98 to -2.85)
SOF12 + PR12		0.85 (0.64 to 0.96)	-14.89 (-35.37 to -4.29)
SOF12 PR24-48 RGT		0.89 (0.70 to 1.00)	-10.63 (-29.48 to -0.26)
SIM12 PR24-48 RGT		0.80 (0.73 to 0.87)	-19.06 (-26.72 to -11.91)
B24 PR28-48 RGT		0.77 (0.67 to 0.86)	-22.15 (-32.43 to -13.43)
B44 PR48		0.83 (0.65 to 0.95)	-16.49 (-34.45 to -4.60)
SOF24 + RBV (low dose) 24		0.47 (0.22 to 0.76)	-51.37 (-75.82 to -23.80)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF12 + SIM12 + RBV12		0.96 (0.40 to 1.04)	-3.94 (-59.00 to 4.20)
SOF12 + RBV12		0.85 (0.45 to 1.00)	-14.19 (-53.27 to -0.41)
PAR/RIT12 + OMB12 + DAS12 + RBV12		0.99 (0.93 to 1.04)	-1.34 (-7.01 to 3.38)
DCV24 + ASU24		0.88 (0.78 to 0.95)	-11.54 (-21.26 to -4.32)
DCV12 + SOF12		0.99 (0.76 to 1.05)	-0.96 (-23.94 to 4.34)
PAR/RIT12 + OMB12 + DAS12		1.00 (0.83 to 1.03)	-0.38 (-16.09 to 3.00)
T12 PR24-48 RGT q12	T12 PR24-48 RGT q8	1.02 (0.92 to 1.09)	1.19 (-6.17 to 6.94)
T12 PR48 q8		1.01 (0.65 to 1.24)	0.67 (-28.35 to 17.28)
SOF12 + PR12		1.03 (0.77 to 1.22)	2.30 (-18.92 to 16.00)
SOF12 PR24-48 RGT		1.08 (0.85 to 1.27)	6.71 (-12.65 to 19.83)
SIM12 PR24-48 RGT		0.98 (0.86 to 1.12)	-1.80 (-11.45 to 8.90)
B24 PR28-48 RGT		0.94 (0.81 to 1.09)	-4.81 (-16.13 to 6.55)
B44 PR48		1.01 (0.78 to 1.22)	0.78 (-18.01 to 15.96)
SOF24 + RBV (low dose) 24		0.58 (0.27 to 0.93)	-33.89 (-59.36 to -5.12)
SOF12 + SIM12 + RBV12		1.15 (0.49 to 1.35)	12.48 (-40.80 to 25.31)
SOF12 + RBV12		1.04 (0.55 to 1.26)	3.15 (-36.03 to 19.17)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.20 (1.09 to 1.36)	15.80 (7.62 to 25.53)
DCV24 + ASU24		1.07 (0.93 to 1.23)	5.69 (-5.68 to 16.73)
DCV12 + SOF12		1.20 (0.90 to 1.37)	15.78 (-8.42 to 26.57)
PAR/RIT12 + OMB12 + DAS12		1.20 (0.99 to 1.37)	16.41 (-0.48 to 26.33)
T12 PR48 q8	T12 PR24-48 RGT q12	0.99 (0.65 to 1.26)	-0.74 (-29.59 to 18.18)
SOF12 + PR12		1.01 (0.76 to 1.24)	1.15 (-19.96 to 17.14)
SOF12 PR24-48 RGT		1.07 (0.83 to 1.29)	5.40 (-14.47 to 21.01)
SIM12 PR24-48 RGT		0.96 (0.84 to 1.15)	-2.98 (-13.63 to 10.30)
B24 PR28-48 RGT		0.93 (0.79 to 1.11)	-6.01 (-18.23 to 8.01)
B44 PR48		1.00 (0.77 to 1.22)	-0.22 (-19.78 to 16.06)
SOF24 + RBV (low dose) 24		0.57 (0.26 to 0.93)	-34.88 (-61.49 to -5.47)
SOF12 + SIM12 + RBV12		1.13 (0.48 to 1.38)	11.10 (-41.99 to 26.66)
SOF12 + RBV12		1.03 (0.55 to 1.28)	2.00 (-37.17 to 19.91)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.18 (1.06 to 1.39)	14.55 (5.47 to 27.27)
DCV24 + ASU24		1.06 (0.91 to 1.26)	4.52 (-7.50 to 18.01)
DCV12 + SOF12		1.18 (0.88 to 1.40)	14.48 (-9.65 to 28.12)
PAR/RIT12 + OMB12 + DAS12		1.18 (0.97 to 1.40)	15.13 (-2.53 to 27.73)
SOF12 + PR12	T12 PR48 q8	1.02 (0.75 to 1.59)	1.54 (-21.14 to 31.94)
SOF12 + PR24-48 RGT		1.08 (0.81 to 1.63)	6.05 (-16.86 to 34.56)
SIM12 PR24-48 RGT		0.97 (0.80 to 1.49)	-2.32 (-18.48 to 26.49)
B24 PR28-48 RGT		0.93 (0.75 to 1.45)	-5.33 (-22.98 to 24.20)
B44 PR48		1.01 (0.74 to 1.54)	0.60 (-23.23 to 29.69)
SOF24 + RBV (low dose) 24		0.58 (0.26 to 1.15)	-33.08 (-62.80 to 8.96)
SOF12 + SIM12 + RBV12		1.13 (0.48 to 1.80)	10.47 (-42.69 to 43.47)
SOF12 + RBV12		1.03 (0.55 to 1.64)	2.39 (-37.60 to 35.33)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.19 (1.02 to 1.81)	15.18 (1.55 to 43.13)
DCV24 + ASU24		1.07 (0.88 to 1.63)	5.24 (-11.22 to 33.89)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
DCV12 + SOF12		1.18 (0.99 to 1.67)	14.19 (-0.75 to 37.09)
PAR/RIT12 + OMB12 + DAS12		1.19 (0.95 to 1.83)	15.62 (-4.40 to 44.35)
SOF12 + PR24-48 RGT	SOF12 + PR12	1.05 (0.79 to 1.44)	4.47 (-18.24 to 27.42)
SIM12 PR24-48 RGT		0.95 (0.81 to 1.28)	-4.06 (-17.68 to 17.52)
B24 PR28-48 RGT		0.92 (0.76 to 1.23)	-7.02 (-21.50 to 14.71)
B44 PR48		0.98 (0.75 to 1.35)	-1.51 (-21.87 to 22.00)
SOF24 + RBV (low dose) 24		0.57 (0.27 to 0.88)	-34.96 (-61.63 to -9.10)
SOF12 + SIM12 + RBV12		1.10 (0.50 to 1.50)	8.72 (-40.28 to 32.27)
SOF12 + RBV12		1.01 (0.54 to 1.34)	0.62 (-38.41 to 22.46)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.16 (1.05 to 1.51)	13.50 (4.18 to 31.93)
DCV24 + ASU24		1.04 (0.87 to 1.39)	3.42 (-11.26 to 24.46)
DCV12 + SOF12		1.15 (0.90 to 1.55)	12.79 (-9.10 to 34.68)
PAR/RIT12 + OMB12 + DAS12		1.16 (0.96 to 1.55)	13.59 (-3.66 to 34.63)
SIM12 + PR24-48 RGT	SOF12 PR24-48 RGT	0.90 (0.78 to 1.17)	-8.31 (-21.11 to 11.41)
B24 PR28-48 RGT		0.87 (0.72 to 1.11)	-11.30 (-25.68 to 8.06)
B44 PR48		0.94 (0.71 to 1.23)	-5.39 (-26.45 to 16.13)
SOF24 + RBV (low dose) 24		0.53 (0.25 to 0.92)	-40.04 (-67.95 to -5.99)
SOF12 + SIM12 + RBV12		1.05 (0.46 to 1.39)	4.76 (-47.37 to 27.12)
SOF12 + RBV12		0.96 (0.52 to 1.29)	-3.77 (-42.77 to 20.33)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.11 (0.98 to 1.41)	9.18 (-1.78 to 28.17)
DCV24 + ASU24		0.99 (0.84 to 1.27)	-0.93 (-15.15 to 18.75)
DCV12 + SOF12		1.10 (0.84 to 1.41)	8.38 (-13.97 to 28.18)
PAR/RIT12 + OMB12 + DAS12		1.11 (0.90 to 1.43)	9.45 (-9.36 to 29.26)
B24 PR28-48 RGT	SIM12 PR24-48 RGT	0.96 (0.82 to 1.10)	-3.08 (-14.68 to 7.52)
B44 PR48		1.03 (0.80 to 1.22)	2.65 (-16.30 to 16.27)
SOF24 + RBV (low dose) 24		0.59 (0.27 to 0.95)	-32.07 (-57.76 to -3.81)
SOF12 + SIM12 + RBV12		1.18 (0.49 to 1.35)	14.48 (-39.41 to 25.82)
SOF12 + RBV12		1.06 (0.57 to 1.28)	4.68 (-33.63 to 20.42)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.22 (1.12 to 1.36)	17.56 (9.71 to 25.74)
DCV24 + ASU24		1.09 (1.01 to 1.18)	7.35 (0.54 to 13.42)
DCV12 + SOF12		1.22 (0.92 to 1.37)	17.63 (-6.50 to 26.33)
PAR/RIT12 + OMB12 + DAS12		1.23 (1.01 to 1.37)	18.21 (0.54 to 26.51)
B44 PR48	B24 PR28-48 RGT	1.08 (0.82 to 1.31)	5.79 (-13.97 to 21.31)
SOF24 + RBV (low dose) 24		0.61 (0.29 to 1.00)	-28.90 (-54.99 to -0.24)
SOF12 + SIM12 + RBV12		1.22 (0.52 to 1.47)	17.22 (-36.70 to 31.08)
SOF12 + RBV12		1.10 (0.59 to 1.36)	7.89 (-30.73 to 24.62)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.28 (1.14 to 1.48)	20.72 (11.42 to 31.18)
DCV24 + ASU24		1.14 (0.98 to 1.34)	10.55 (-1.68 to 22.40)
DCV12 + SOF12		1.27 (0.96 to 1.49)	20.62 (-3.06 to 32.12)
PAR/RIT12 + OMB12 + DAS12		1.28 (1.05 to 1.49)	21.16 (3.72 to 32.05)
SOF24 + RBV (low dose) 24	B44 PR48	0.57 (0.26 to 0.97)	-34.25 (-63.84 to -1.82)
SOF12 + SIM12 + RBV12		1.13 (0.48 to 1.49)	10.70 (-42.05 to 32.13)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF12 + RBV12		1.02 (0.53 to 1.36)	1.93 (-38.86 to 24.44)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.18 (1.03 to 1.52)	14.94 (2.85 to 32.95)
DCV24 + ASU24		1.06 (0.89 to 1.37)	4.84 (-10.15 to 24.00)
DCV12 + SOF12		1.18 (0.88 to 1.52)	14.42 (-10.05 to 33.41)
PAR/RIT12 + OMB12 + DAS12		1.19 (0.96 to 1.52)	15.20 (-3.12 to 33.17)
SOF12 + SIM12 + RBV12	SOF24 + RBV (low dose) 24	1.91 (0.74 to 4.30)	43.29 (-14.99 to 73.93)
SOF12 + RBV12		1.74 (1.17 to 3.17)	34.13 (8.99 to 55.76)
PAR/RIT12 + OMB12 + DAS12 + RBV12		2.08 (1.32 to 4.44)	49.80 (23.38 to 74.19)
DCV24 + ASU24		1.86 (1.16 to 4.01)	39.50 (11.15 to 65.44)
DCV12 + SOF12		2.05 (1.23 to 4.45)	48.63 (15.48 to 75.19)
PAR/RIT12 + OMB12 + DAS12		2.07 (1.29 to 4.44)	49.42 (20.46 to 75.41)
SOF12 + RBV12	SOF12 + SIM12 + RBV12	0.91 (0.47 to 2.07)	-8.08 (-50.17 to 44.04)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.03 (0.94 to 2.48)	2.57 (-6.14 to 56.65)
DCV24 + ASU24		0.92 (0.80 to 2.23)	-7.16 (-20.01 to 47.82)
DCV12 + SOF12		1.02 (0.78 to 2.44)	2.15 (-21.19 to 55.97)
PAR/RIT12 + OMB12 + DAS12		1.03 (0.87 to 2.46)	2.97 (-12.71 to 56.85)
PAR/RIT12 + OMB12 + DAS12 + RBV12	SOF12 + RBV12	1.15 (0.99 to 2.16)	12.66 (-0.79 to 51.44)
DCV24 + ASU24		1.03 (0.85 to 1.94)	2.82 (-13.95 to 42.12)
DCV12 + SOF12		1.14 (0.86 to 2.14)	12.06 (-12.10 to 51.32)
PAR/RIT12 + OMB12 + DAS12		1.16 (0.94 to 2.17)	12.96 (-5.64 to 51.97)
DCV24 + ASU24	PAR/RIT12 + OMB12 + DAS12 + RBV12	0.90 (0.79 to 0.98)	-10.10 (-20.21 to -1.96)
DCV12 + SOF12		1.00 (0.77 to 1.07)	0.39 (-21.90 to 6.76)
PAR/RIT12 + OMB12 + DAS12		1.01 (0.83 to 1.07)	0.88 (-16.15 to 6.77)
DCV12 + SOF12	DCV24 + ASU24	1.12 (0.85 to 1.27)	9.95 (-12.91 to 20.85)
PAR/RIT12 + OMB12 + DAS12		1.12 (0.92 to 1.27)	10.67 (-6.70 to 21.11)
PAR/RIT12 + OMB12 + DAS12	DCV12 + SOF12	1.00 (0.84 to 1.31)	0.40 (-15.92 to 22.95)
Random effect model	Residual deviance	62.51 vs. 72 data points	
	Deviance information criteria	385.205	
Fixed effect model	Residual deviance	63.06 vs. 72 data points	
	Deviance information criteria	384.588	

ASU = asunaprevir; B = boceprevir; BEC = beclabuvir; Crl = credible interval; DAS = dasabuvir; DCV = daclatasvir; ELB = elbasvir; GRZ = grazoprevir; LDV = ledipasvir; OMB = ombitasvir; PAR = paritaprevir; PR = pegylated interferon plus ribavirin; q8 = every 8 hours; q12 = every 12 hours; RBV = ribavirin; RD = risk difference; RGT = response-guided therapy; RIT = ritonavir; RR = relative risk; SIM = simeprevir; SOF = sofosbuvir; SVR = sustained virologic response; T = telaprevir; vs. = versus.  
Note: Please refer to Treatment Regimen Nomenclature table for description of dosages.