

**TABLE 161: GENOTYPE 1 WITHOUT CIRRHOSIS TREATMENT-NAIVE — EMERGING TREATMENTS: RELATIVE RISKS AND RISK DIFFERENCE FOR ALL TREATMENT COMPARISONS — RANDOM EFFECTS MODEL**

| TREATMENT                 | REFERENCE | RR (95% CRI)        | RD % (95% CRL)         |
|---------------------------|-----------|---------------------|------------------------|
| SOF12 + LDV12             | PR48      | 1.97 (1.79 to 2.19) | 47.85 (42.52 to 53.23) |
| SOF8 + LDV8 + RBV8        |           | 1.92 (1.68 to 2.16) | 46.01 (35.09 to 52.26) |
| SOF12 + LDV12 + RBV12     |           | 1.96 (1.77 to 2.18) | 47.46 (41.38 to 53.05) |
| SOF24 + LDV24 + RBV24     |           | 1.97 (1.78 to 2.19) | 48.08 (41.56 to 53.53) |
| T12 PR24-48 RGT q8        |           | 1.55 (1.31 to 1.74) | 27.32 (15.48 to 35.13) |
| T12 PR24-48 RGT q12       |           | 1.53 (1.23 to 1.74) | 26.31 (11.34 to 35.24) |
| T12 PR48 q8               |           | 1.58 (0.91 to 2.01) | 28.75 (−4.55 to 46.26) |
| SOF12 PR24-48 RGT         |           | 1.71 (1.28 to 2.02) | 35.52 (14.17 to 47.59) |
| SIM12 PR24-48 RGT         |           | 1.58 (1.41 to 1.77) | 28.92 (21.18 to 35.74) |
| B44 PR48                  |           | 1.77 (1.40 to 2.04) | 38.17 (20.43 to 47.73) |
| SOF24 + RBV24             |           | 1.63 (1.29 to 1.87) | 31.46 (14.33 to 41.11) |
| PAR/RIT12 + OMB12 + DAS12 |           | 1.92 (1.36 to 2.17) | 46.37 (17.81 to 53.13) |

| TREATMENT                          | REFERENCE          | RR (95% CRI)        | RD % (95% CRL)            |
|------------------------------------|--------------------|---------------------|---------------------------|
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                    | 1.93 (1.75 to 2.14) | 46.18 (40.22 to 51.34)    |
| DCV24 + ASU24                      |                    | 1.81 (1.64 to 2.00) | 40.25 (33.66 to 45.76)    |
| DCV12 + SOF12                      |                    | 1.87 (1.22 to 2.17) | 43.41 (10.76 to 52.86)    |
| SOF12 + PR12                       |                    | 1.76 (1.30 to 2.05) | 38.07 (14.80 to 48.71)    |
| B24 PR28-48 RGT                    |                    | 1.53 (1.27 to 1.76) | 26.51 (13.60 to 35.96)    |
| SIM12 + SOF12                      |                    | 1.81 (0.76 to 2.15) | 40.48 (-12.23 to 52.67)   |
| SOF12 + SIM12 + RBV12              |                    | 1.78 (0.88 to 2.14) | 38.90 (-6.24 to 52.06)    |
| GRZ12 + ELB12                      |                    | 1.91 (1.74 to 2.12) | 45.23 (39.12 to 50.49)    |
| GRZ12 + ELB12 + RBV12              |                    | 1.12 (0.16 to 1.95) | 5.68 (-41.98 to 44.92)    |
| DCV12 + ASU12 + BEC12              |                    | 1.81 (1.61 to 2.02) | 40.35 (31.61 to 46.76)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                    | 1.71 (1.06 to 2.08) | 35.47 (3.05 to 49.67)     |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                    | 0.57 (0.05 to 1.68) | -21.20 (-47.92 to 33.02)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                    | 1.01 (0.00 to 2.10) | 0.22 (-50.85 to 51.67)    |
| SOF8 + LDV8 + RBV8                 | SOF12 + LDV12      | 0.98 (0.89 to 1.01) | -1.59 (-10.35 to 0.64)    |
| SOF12 + LDV12 + RBV12              |                    | 1.00 (0.95 to 1.03) | -0.35 (-4.71 to 3.04)     |
| SOF24 + LDV24 + RBV24              |                    | 1.00 (0.95 to 1.05) | 0.25 (-5.26 to 4.32)      |
| T12 PR24-48 RGT q8                 |                    | 0.79 (0.67 to 0.87) | -20.56 (-32.53 to -12.38) |
| T12 PR24-48 RGT q12                |                    | 0.78 (0.63 to 0.87) | -21.53 (-36.29 to -12.78) |
| T12 PR48 q8                        |                    | 0.80 (0.48 to 0.97) | -19.06 (-51.02 to -3.10)  |
| SOF12 PR24-48 RGT                  |                    | 0.87 (0.66 to 0.99) | -12.24 (-33.61 to -1.13)  |
| SIM12 PR24-48 RGT                  |                    | 0.81 (0.72 to 0.88) | -18.88 (-27.09 to -11.80) |
| B44 PR48                           |                    | 0.90 (0.72 to 0.99) | -9.60 (-27.28 to -0.97)   |
| SOF24 + RBV24                      |                    | 0.83 (0.66 to 0.93) | -16.28 (-33.29 to -7.16)  |
| PAR/RIT12 + OMB12 + DAS12          |                    | 0.99 (0.69 to 1.04) | -1.04 (-29.64 to 3.93)    |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                    | 0.98 (0.93 to 1.02) | -1.64 (-6.64 to 2.22)     |
| DCV24 + ASU24                      |                    | 0.92 (0.86 to 0.98) | -7.55 (-14.14 to -2.21)   |
| DCV12 + SOF12                      |                    | 0.96 (0.63 to 1.04) | -4.14 (-36.30 to 3.39)    |
| SOF12 + PR12                       |                    | 0.90 (0.67 to 0.98) | -9.57 (-31.10 to -1.96)   |
| B24 PR28-48 RGT                    |                    | 0.78 (0.64 to 0.88) | -21.32 (-34.73 to -11.38) |
| SIM12 + SOF12                      |                    | 0.93 (0.39 to 1.04) | -7.31 (-59.44 to 3.39)    |
| SOF12 + SIM12 + RBV12              |                    | 0.91 (0.45 to 1.03) | -8.94 (-53.46 to 2.95)    |
| GRZ12 + ELB12                      |                    | 0.97 (0.92 to 1.02) | -2.59 (-8.16 to 1.88)     |
| GRZ12 + ELB12 + RBV12              |                    | 0.57 (0.08 to 0.96) | -42.09 (-89.34 to -3.71)  |
| DCV12 + ASU12 + BEC12              |                    | 0.92 (0.83 to 0.99) | -7.41 (-16.23 to -1.39)   |
| GRZ12 + ELB12 (50 mg q.d.)         |                    | 0.87 (0.55 to 1.00) | -12.34 (-43.84 to 0.19)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                    | 0.29 (0.03 to 0.84) | -69.11 (-94.93 to -15.26) |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                    | 0.51 (0.00 to 1.03) | -47.62 (-97.84 to 2.86)   |
| SOF12 + LDV12 + RBV12              | SOF8 + LDV8 + RBV8 | 1.01 (0.96 to 1.14) | 1.28 (-3.67 to 11.60)     |
| SOF24 + LDV24 + RBV24              |                    | 1.02 (0.96 to 1.15) | 1.82 (-4.13 to 12.72)     |

| TREATMENT                          | REFERENCE             | RR (95% CRI)        | RD % (95% CRL)            |
|------------------------------------|-----------------------|---------------------|---------------------------|
| T12 PR24-48 RGT q8                 |                       | 0.81 (0.68 to 0.93) | -18.54 (-30.84 to -6.61)  |
| T12 PR24-48 RGT q12                |                       | 0.80 (0.64 to 0.92) | -19.51 (-34.47 to -7.32)  |
| T12 PR48 q8                        |                       | 0.82 (0.49 to 1.03) | -16.87 (-49.24 to 2.45)   |
| SOF12 PR24-48 RGT                  |                       | 0.89 (0.67 to 1.05) | -10.26 (-31.77 to 4.45)   |
| SIM12 PR24-48 RGT                  |                       | 0.82 (0.73 to 0.94) | -16.94 (-25.82 to -5.29)  |
| B44 PR48                           |                       | 0.92 (0.73 to 1.07) | -7.65 (-25.75 to 5.77)    |
| SOF24 + RBV24                      |                       | 0.85 (0.67 to 0.98) | -14.25 (-31.25 to -1.95)  |
| PAR/RIT12 + OMB12 + DAS12          |                       | 1.01 (0.71 to 1.13) | 0.50 (-27.01 to 10.96)    |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                       | 1.00 (0.94 to 1.12) | 0.00 (-5.58 to 10.44)     |
| DCV24 + ASU24                      |                       | 0.94 (0.87 to 1.06) | -5.77 (-12.95 to 5.37)    |
| DCV12 + SOF12                      |                       | 0.98 (0.65 to 1.12) | -2.24 (-33.84 to 10.40)   |
| SOF12 + PR12                       |                       | 0.92 (0.71 to 1.01) | -7.31 (-27.16 to 0.84)    |
| B24 PR28-48 RGT                    |                       | 0.80 (0.66 to 0.94) | -19.30 (-33.11 to -5.72)  |
| SIM12 + SOF12                      |                       | 0.95 (0.40 to 1.11) | -5.15 (-56.60 to 9.27)    |
| SOF12 + SIM12 + RBV12              |                       | 0.93 (0.46 to 1.10) | -6.80 (-51.74 to 8.92)    |
| GRZ12 + ELB12                      |                       | 0.99 (0.93 to 1.12) | -0.92 (-7.16 to 10.01)    |
| GRZ12 + ELB12 + RBV12              |                       | 0.58 (0.08 to 0.99) | -39.84 (-87.15 to -0.59)  |
| DCV12 + ASU12 + BEC12              |                       | 0.94 (0.85 to 1.06) | -5.56 (-14.91 to 5.50)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                       | 0.89 (0.56 to 1.07) | -10.31 (-42.17 to 6.31)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                       | 0.30 (0.03 to 0.88) | -66.33 (-93.58 to -11.59) |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                       | 0.52 (0.00 to 1.08) | -45.24 (-96.96 to 7.18)   |
| SOF24 + LDV24 + RBV24              | SOF12 + LDV12 + RBV12 | 1.01 (0.95 to 1.06) | 0.62 (-4.88 to 5.62)      |
| T12 PR24-48 RGT q8                 |                       | 0.79 (0.67 to 0.88) | -20.17 (-31.87 to -11.62) |
| T12 PR24-48 RGT q12                |                       | 0.78 (0.63 to 0.87) | -21.20 (-35.47 to -12.17) |
| T12 PR48 q8                        |                       | 0.81 (0.48 to 0.98) | -18.63 (-50.55 to -2.21)  |
| SOF12 PR24-48 RGT                  |                       | 0.88 (0.66 to 1.00) | -11.91 (-32.85 to -0.22)  |
| SIM12 PR24-48 RGT                  |                       | 0.81 (0.72 to 0.88) | -18.42 (-26.88 to -10.97) |
| B44 PR48                           |                       | 0.90 (0.72 to 1.00) | -9.26 (-26.71 to 0.18)    |
| SOF24 + RBV24                      |                       | 0.84 (0.66 to 0.93) | -15.90 (-32.59 to -6.53)  |
| PAR/RIT12 + OMB12 + DAS12          |                       | 0.99 (0.69 to 1.06) | -0.62 (-29.59 to 5.25)    |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                       | 0.99 (0.94 to 1.04) | -1.33 (-6.10 to 3.57)     |
| DCV24 + ASU24                      |                       | 0.93 (0.86 to 0.99) | -7.18 (-13.89 to -0.97)   |
| DCV12 + SOF12                      |                       | 0.96 (0.63 to 1.05) | -3.88 (-35.80 to 4.93)    |
| SOF12 + PR12                       |                       | 0.91 (0.67 to 1.00) | -9.06 (-31.89 to 0.21)    |
| B24 PR28-48 RGT                    |                       | 0.78 (0.65 to 0.89) | -20.94 (-34.33 to -10.40) |
| SIM12 + SOF12                      |                       | 0.93 (0.39 to 1.05) | -6.83 (-58.92 to 4.23)    |
| SOF12 + SIM12 + RBV12              |                       | 0.91 (0.46 to 1.04) | -8.66 (-52.51 to 3.75)    |
| GRZ12 + ELB12                      |                       | 0.98 (0.92 to 1.04) | -2.24 (-7.83 to 3.31)     |
| GRZ12 + ELB12 + RBV12              |                       | 0.57 (0.08 to 0.96) | -41.65 (-89.22 to -3.48)  |
| DCV12 + ASU12 + BEC12              |                       | 0.93 (0.84 to 1.00) | -7.07 (-15.87 to -0.12)   |

| TREATMENT                             | REFERENCE                | RR (95% CRI)        | RD % (95% CRL)            |
|---------------------------------------|--------------------------|---------------------|---------------------------|
| GRZ12 + ELB12 (50 mg q.d.)            |                          | 0.88 (0.55 to 1.01) | -11.76 (-43.81 to 0.76)   |
| GRZ8 + ELB8 (50 mg q.d.)<br>+ RBV8    |                          | 0.29 (0.03 to 0.85) | -68.63 (-94.42 to -14.89) |
| GRZ12 + ELB12 (50 mg<br>q.d.) + RBV12 |                          | 0.51 (0.00 to 1.04) | -47.26 (-97.61 to 3.76)   |
| T12 PR24-48 RGT q8                    | SOF24 + LDV24<br>+ RBV24 | 0.79 (0.66 to 0.88) | -20.73 (-32.99 to -11.58) |
| T12 PR24-48 RGT q12                   |                          | 0.78 (0.62 to 0.88) | -21.74 (-37.03 to -11.88) |
| T12 PR48 q8                           |                          | 0.80 (0.48 to 0.97) | -19.28 (-51.17 to -2.86)  |
| SOF12 PR24-48 RGT                     |                          | 0.87 (0.65 to 0.99) | -12.43 (-33.76 to -0.87)  |
| SIM12 PR24-48 RGT                     |                          | 0.81 (0.72 to 0.88) | -19.02 (-27.62 to -11.14) |
| B44 PR48                              |                          | 0.90 (0.72 to 1.00) | -9.78 (-27.56 to -0.35)   |
| SOF24 + RBV24                         |                          | 0.83 (0.65 to 0.94) | -16.48 (-33.93 to -6.14)  |
| PAR/RIT12 + OMB12<br>+ DAS12          |                          | 0.99 (0.70 to 1.03) | -1.18 (-29.25 to 2.80)    |
| PAR/RIT12 + OMB12<br>+ DAS12 + RBV12  |                          | 0.98 (0.93 to 1.04) | -1.95 (-7.09 to 3.90)     |
| DCV24 + ASU24                         |                          | 0.92 (0.85 to 0.99) | -7.73 (-14.50 to -1.40)   |
| DCV12 + SOF12                         |                          | 0.95 (0.63 to 1.05) | -4.45 (-35.79 to 4.36)    |
| SOF12 + PR12                          |                          | 0.90 (0.66 to 1.00) | -9.56 (-33.28 to 0.25)    |
| B24 PR28-48 RGT                       |                          | 0.78 (0.64 to 0.88) | -21.46 (-34.91 to -11.01) |
| SIM12 + SOF12                         |                          | 0.92 (0.39 to 1.04) | -7.41 (-59.94 to 4.10)    |
| SOF12 + SIM12 + RBV12                 |                          | 0.91 (0.45 to 1.03) | -8.93 (-53.38 to 2.94)    |
| GRZ12 + ELB12                         |                          | 0.97 (0.91 to 1.03) | -2.85 (-8.41 to 3.12)     |
| GRZ12 + ELB12 + RBV12                 |                          | 0.57 (0.08 to 0.96) | -42.34 (-89.26 to -4.02)  |
| DCV12 + ASU12 + BEC12                 |                          | 0.92 (0.83 to 1.00) | -7.62 (-16.57 to -0.44)   |
| GRZ12 + ELB12 (50 mg<br>q.d.)         |                          | 0.87 (0.55 to 1.00) | -12.43 (-43.70 to 0.41)   |
| GRZ8 + ELB8 (50 mg q.d.)<br>+ RBV8    |                          | 0.29 (0.03 to 0.84) | -69.19 (-94.93 to -16.04) |
| GRZ12 + ELB12 (50 mg<br>q.d.) + RBV12 |                          | 0.51 (0.00 to 1.03) | -47.50 (-98.30 to 3.24)   |
| T12 PR24-48 RGT q12                   | T12 PR24-48 RGT<br>q8    | 0.99 (0.84 to 1.11) | -0.96 (-12.42 to 7.89)    |
| T12 PR48 q8                           |                          | 1.02 (0.59 to 1.33) | 1.49 (-32.33 to 22.15)    |
| SOF12 PR24-48 RGT                     |                          | 1.11 (0.82 to 1.37) | 8.20 (-13.92 to 24.57)    |
| SIM12 PR24-48 RGT                     |                          | 1.02 (0.90 to 1.22) | 1.70 (-8.22 to 14.54)     |
| B44 PR48                              |                          | 1.14 (0.90 to 1.38) | 10.76 (-7.81 to 25.49)    |
| SOF24 + RBV24                         |                          | 1.05 (0.86 to 1.22) | 4.14 (-10.42 to 15.10)    |
| PAR/RIT12 + OMB12<br>+ DAS12          |                          | 1.24 (0.87 to 1.48) | 18.74 (-10.35 to 31.40)   |
| PAR/RIT12 + OMB12<br>+ DAS12 + RBV12  |                          | 1.25 (1.14 to 1.45) | 18.87 (11.28 to 29.56)    |
| DCV24 + ASU24                         |                          | 1.17 (1.04 to 1.39) | 12.94 (3.38 to 25.32)     |
| DCV12 + SOF12                         |                          | 1.20 (0.79 to 1.46) | 15.80 (-16.26 to 30.64)   |
| SOF12 + PR12                          |                          | 1.14 (0.84 to 1.37) | 10.82 (-12.42 to 24.88)   |
| B24 PR28-48 RGT                       |                          | 0.99 (0.81 to 1.21) | -0.80 (-15.11 to 14.55)   |
| SIM12 + SOF12                         |                          | 1.17 (0.49 to 1.44) | 13.09 (-39.71 to 29.54)   |

| TREATMENT                          | REFERENCE           | RR (95% CRI)        | RD % (95% CRL)           |
|------------------------------------|---------------------|---------------------|--------------------------|
| SOF12 + SIM12 + RBV12              |                     | 1.15 (0.56 to 1.43) | 11.77 (-34.60 to 28.89)  |
| GRZ12 + ELB12                      |                     | 1.23 (1.11 to 1.47) | 17.89 (8.84 to 30.27)    |
| GRZ12 + ELB12 + RBV12              |                     | 0.72 (0.10 to 1.27) | -21.06 (-69.66 to 19.28) |
| DCV12 + ASU12 + BEC12              |                     | 1.17 (1.03 to 1.40) | 13.03 (2.04 to 25.83)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                     | 1.11 (0.69 to 1.39) | 8.14 (-24.03 to 26.14)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                     | 0.37 (0.03 to 1.10) | -47.79 (-76.48 to 6.90)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                     | 0.65 (0.00 to 1.40) | -26.66 (-79.87 to 27.74) |
| T12 PR48 q8                        | T12 PR24-48 RGT q12 | 1.04 (0.59 to 1.39) | 2.72 (-32.56 to 25.05)   |
| SOF12 PR24-48 RGT                  |                     | 1.12 (0.83 to 1.44) | 9.18 (-13.20 to 27.72)   |
| SIM12 PR24-48 RGT                  |                     | 1.04 (0.91 to 1.29) | 2.64 (-7.36 to 17.75)    |
| B44 PR48                           |                     | 1.15 (0.91 to 1.48) | 11.67 (-7.17 to 29.65)   |
| SOF24 + RBV24                      |                     | 1.07 (0.94 to 1.21) | 5.07 (-4.35 to 13.89)    |
| PAR/RIT12 + OMB12 + DAS12          |                     | 1.26 (0.88 to 1.57) | 19.54 (-9.09 to 35.35)   |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                     | 1.26 (1.15 to 1.53) | 19.95 (12.49 to 32.24)   |
| DCV24 + ASU24                      |                     | 1.18 (1.04 to 1.48) | 13.94 (3.52 to 29.41)    |
| DCV12 + SOF12                      |                     | 1.22 (0.79 to 1.55) | 16.88 (-16.20 to 34.33)  |
| SOF12 + PR12                       |                     | 1.15 (0.86 to 1.44) | 11.79 (-10.53 to 27.94)  |
| B24 PR28-48 RGT                    |                     | 1.00 (0.82 to 1.29) | 0.14 (-14.30 to 17.99)   |
| SIM12 + SOF12                      |                     | 1.18 (0.50 to 1.52) | 13.99 (-38.90 to 32.60)  |
| SOF12 + SIM12 + RBV12              |                     | 1.17 (0.57 to 1.51) | 12.78 (-33.72 to 32.25)  |
| GRZ12 + ELB12                      |                     | 1.25 (1.11 to 1.56) | 18.89 (9.05 to 34.19)    |
| GRZ12 + ELB12 + RBV12              |                     | 0.74 (0.10 to 1.32) | -19.66 (-68.58 to 21.59) |
| DCV12 + ASU12 + BEC12              |                     | 1.18 (1.03 to 1.49) | 13.95 (2.16 to 29.92)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                     | 1.12 (0.70 to 1.48) | 9.18 (-23.42 to 29.85)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                     | 0.38 (0.03 to 1.12) | -46.45 (-76.39 to 8.82)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                     | 0.66 (0.00 to 1.46) | -25.53 (-79.69 to 30.45) |
| SOF12 PR24-48 RGT                  | T12 PR48 q8         | 1.08 (0.76 to 1.86) | 6.63 (-21.22 to 41.62)   |
| SIM12 PR24-48 RGT                  |                     | 1.00 (0.80 to 1.71) | 0.16 (-18.28 to 33.22)   |
| B44 PR48                           |                     | 1.12 (0.83 to 1.89) | 9.07 (-14.78 to 42.38)   |
| SOF24 + RBV24                      |                     | 1.03 (0.76 to 1.79) | 2.43 (-21.52 to 37.23)   |
| PAR/RIT12 + OMB12 + DAS12          |                     | 1.22 (0.81 to 2.03) | 16.94 (-15.91 to 48.71)  |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                     | 1.22 (1.02 to 2.06) | 17.38 (1.45 to 49.51)    |
| DCV24 + ASU24                      |                     | 1.15 (0.94 to 1.94) | 11.53 (-5.68 to 44.04)   |
| DCV12 + SOF12                      |                     | 1.16 (0.88 to 1.80) | 12.98 (-9.86 to 39.95)   |
| SOF12 + PR12                       |                     | 1.11 (0.78 to 1.89) | 8.87 (-19.49 to 42.40)   |
| B24 PR28-48 RGT                    |                     | 0.97 (0.74 to 1.67) | -2.19 (-23.53 to 31.61)  |
| SIM12 + SOF12                      |                     | 1.13 (0.46 to 1.99) | 10.56 (-44.88 to 47.70)  |
| SOF12 + SIM12 + RBV12              |                     | 1.11 (0.54 to 1.91) | 8.72 (-38.48 to 45.29)   |

| TREATMENT                          | REFERENCE         | RR (95% CRI)        | RD % (95% CRL)           |
|------------------------------------|-------------------|---------------------|--------------------------|
| GRZ12 + ELB12                      |                   | 1.21 (1.00 to 2.04) | 16.45 (0.13 to 48.70)    |
| GRZ12 + ELB12 + RBV12              |                   | 0.72 (0.10 to 1.59) | -21.52 (-73.28 to 31.51) |
| DCV12 + ASU12 + BEC12              |                   | 1.15 (0.93 to 1.93) | 11.54 (-6.70 to 43.73)   |
| GRZ12 + ELB12 (50 mg q.d.)         |                   | 1.08 (0.66 to 1.90) | 6.09 (-28.81 to 42.81)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                   | 0.37 (0.03 to 1.23) | -46.99 (-82.63 to 13.88) |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                   | 0.65 (0.00 to 1.74) | -26.42 (-87.28 to 40.27) |
| SIM12 PR24-48 RGT                  | SOF12 PR24-48 RGT | 0.92 (0.78 to 1.24) | -6.45 (-20.33 to 15.49)  |
| B44 PR48                           |                   | 1.03 (0.80 to 1.39) | 2.44 (-18.24 to 25.58)   |
| SOF24 + RBV24                      |                   | 0.96 (0.73 to 1.28) | -3.87 (-24.51 to 18.47)  |
| PAR/RIT12 + OMB12 + DAS12          |                   | 1.12 (0.79 to 1.50) | 9.94 (-18.38 to 32.19)   |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                   | 1.12 (0.99 to 1.50) | 10.59 (-0.99 to 31.82)   |
| DCV24 + ASU24                      |                   | 1.06 (0.91 to 1.41) | 4.74 (-8.03 to 26.22)    |
| DCV12 + SOF12                      |                   | 1.08 (0.72 to 1.47) | 7.02 (-24.94 to 30.70)   |
| SOF12 + PR12                       |                   | 1.03 (0.74 to 1.39) | 2.68 (-23.41 to 25.96)   |
| B24 PR28-48 RGT                    |                   | 0.90 (0.71 to 1.21) | -8.83 (-26.35 to 13.96)  |
| SIM12 + SOF12                      |                   | 1.05 (0.45 to 1.46) | 4.24 (-46.79 to 30.11)   |
| SOF12 + SIM12 + RBV12              |                   | 1.03 (0.51 to 1.42) | 2.83 (-43.60 to 28.06)   |
| GRZ12 + ELB12                      |                   | 1.11 (0.98 to 1.48) | 9.65 (-2.22 to 30.97)    |
| GRZ12 + ELB12 + RBV12              |                   | 0.66 (0.09 to 1.21) | -28.29 (-79.69 to 15.16) |
| DCV12 + ASU12 + BEC12              |                   | 1.06 (0.90 to 1.41) | 4.72 (-8.90 to 26.52)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                   | 1.00 (0.62 to 1.38) | -0.06 (-33.42 to 25.60)  |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                   | 0.34 (0.03 to 1.02) | -54.98 (-87.08 to 1.54)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                   | 0.60 (0.00 to 1.35) | -33.74 (-90.84 to 24.76) |
| B44 PR48                           | SIM12 PR24-48 RGT | 1.12 (0.88 to 1.29) | 9.10 (-9.65 to 20.98)    |
| SOF24 + RBV24                      |                   | 1.030.811.18        | 2.47-14.8813.33          |
| PAR/RIT12 + OMB12 + DAS12          |                   | 1.22 (0.85 to 1.37) | 17.19 (-11.82 to 26.60)  |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                   | 1.22 (1.12 to 1.35) | 17.15 (9.88 to 25.08)    |
| DCV24 + ASU24                      |                   | 1.14 (1.03 to 1.28) | 11.26 (2.69 to 20.05)    |
| DCV12 + SOF12                      |                   | 1.18 (0.78 to 1.36) | 14.14 (-17.32 to 25.70)  |
| SOF12 + PR12                       |                   | 1.12 (0.82 to 1.29) | 9.19 (-14.51 to 21.36)   |
| B24 PR28-48 RGT                    |                   | 0.97 (0.79 to 1.13) | -2.43 (-16.75 to 9.40)   |
| SIM12 + SOF12                      |                   | 1.14 (0.48 to 1.35) | 11.36 (-40.50 to 25.47)  |
| SOF12 + SIM12 + RBV12              |                   | 1.13 (0.56 to 1.34) | 9.88 (-35.51 to 24.55)   |
| GRZ12 + ELB12                      |                   | 1.21 (1.10 to 1.35) | 16.19 (8.39 to 24.66)    |
| GRZ12 + ELB12 + RBV12              |                   | 0.70 (0.10 to 1.22) | -23.08 (-70.96 to 16.51) |
| DCV12 + ASU12 + BEC12              |                   | 1.14 (1.01 to 1.29) | 11.29 (1.07 to 20.99)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                   | 1.08 (0.68 to 1.30) | 6.41 (-25.91 to 22.00)   |

| TREATMENT                          | REFERENCE                 | RR (95% CRI)        | RD % (95% CRL)           |
|------------------------------------|---------------------------|---------------------|--------------------------|
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                           | 0.36 (0.03 to 1.06) | -49.87 (-77.43 to 4.76)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                           | 0.64 (0.00 to 1.32) | -28.55 (-80.73 to 24.08) |
| SOF24 + RBV24                      | B44 PR48                  | 0.92 (0.71 to 1.18) | -6.65 (-25.80 to 12.79)  |
| PAR/RIT12 + OMB12 + DAS12          |                           | 1.09 (0.76 to 1.37) | 7.78 (-22.10 to 26.14)   |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                           | 1.09 (0.98 to 1.36) | 7.96 (-1.47 to 25.49)    |
| DCV24 + ASU24                      |                           | 1.02 (0.91 to 1.28) | 2.04 (-8.12 to 19.59)    |
| DCV12 + SOF12                      |                           | 1.06 (0.70 to 1.34) | 4.95 (-27.15 to 24.33)   |
| SOF12 + PR12                       |                           | 1.00 (0.72 to 1.28) | 0.09 (-25.84 to 20.26)   |
| B24 PR28-48 RGT                    |                           | 0.87 (0.71 to 1.10) | -11.35 (-26.99 to 7.38)  |
| SIM12 + SOF12                      |                           | 1.03 (0.43 to 1.32) | 2.23 (-50.23 to 23.49)   |
| SOF12 + SIM12 + RBV12              |                           | 1.01 (0.49 to 1.30) | 1.00 (-45.64 to 22.11)   |
| GRZ12 + ELB12                      |                           | 1.08 (0.98 to 1.35) | 6.96 (-2.26 to 24.66)    |
| GRZ12 + ELB12 + RBV12              |                           | 0.64 (0.09 to 1.13) | -31.41 (-81.46 to 10.27) |
| DCV12 + ASU12 + BEC12              |                           | 1.02 (0.90 to 1.29) | 2.12 (-9.56 to 20.33)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                           | 0.97 (0.60 to 1.26) | -2.46 (-35.60 to 19.18)  |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                           | 0.33 (0.03 to 0.96) | -58.16 (-87.98 to -2.98) |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                           | 0.57 (0.00 to 1.25) | -37.00 (-91.57 to 19.62) |
| PAR/RIT12 + OMB12 + DAS12          | SOF24 + RBV24             | 1.18 (0.82 to 1.50) | 14.33 (-14.54 to 32.13)  |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  |                           | 1.18 (1.07 to 1.47) | 14.70 (6.34 to 29.98)    |
| DCV24 + ASU24                      |                           | 1.11 (0.98 to 1.41) | 8.72 (-2.16 to 26.10)    |
| DCV12 + SOF12                      |                           | 1.14 (0.75 to 1.47) | 11.52 (-21.08 to 30.88)  |
| SOF12 + PR12                       |                           | 1.08 (0.80 to 1.37) | 6.62 (-16.51 to 24.52)   |
| B24 PR28-48 RGT                    |                           | 0.94 (0.77 to 1.22) | -4.93 (-20.01 to 14.40)  |
| SIM12 + SOF12                      |                           | 1.11 (0.47 to 1.44) | 8.65 (-44.00 to 29.38)   |
| SOF12 + SIM12 + RBV12              |                           | 1.09 (0.54 to 1.43) | 7.26 (-38.55 to 28.98)   |
| GRZ12 + ELB12                      |                           | 1.17 (1.04 to 1.48) | 13.69 (3.41 to 30.97)    |
| GRZ12 + ELB12 + RBV12              |                           | 0.69 (0.10 to 1.25) | -24.76 (-74.64 to 18.04) |
| DCV12 + ASU12 + BEC12              |                           | 1.11 (0.96 to 1.41) | 8.67 (-3.65 to 26.47)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                           | 1.05 (0.66 to 1.39) | 4.07 (-28.54 to 25.93)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                           | 0.35 (0.03 to 1.06) | -51.38 (-81.84 to 4.28)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                           | 0.62 (0.00 to 1.38) | -30.40 (-85.24 to 26.38) |
| PAR/RIT12 + OMB12 + DAS12 + RBV12  | PAR/RIT12 + OMB12 + DAS12 | 0.99 (0.93 to 1.43) | -0.57 (-6.58 to 28.90)   |
| DCV24 + ASU24                      |                           | 0.94 (0.86 to 1.34) | -6.17 (-13.91 to 22.97)  |
| DCV12 + SOF12                      |                           | 0.97 (0.65 to 1.40) | -2.68 (-33.27 to 27.08)  |
| SOF12 + PR12                       |                           | 0.93 (0.69 to 1.26) | -7.13 (-29.88 to 18.21)  |
| B24 PR28-48 RGT                    |                           | 0.80 (0.66 to 1.15) | -19.33 (-33.35 to 9.84)  |

| TREATMENT                          | REFERENCE                         | RR (95% CRI)        | RD % (95% CRL)            |
|------------------------------------|-----------------------------------|---------------------|---------------------------|
| SIM12 + SOF12                      |                                   | 0.95 (0.39 to 1.35) | -4.89 (-58.27 to 24.33)   |
| SOF12 + SIM12 + RBV12              |                                   | 0.93 (0.47 to 1.32) | -6.37 (-51.71 to 22.14)   |
| GRZ12 + ELB12                      |                                   | 0.98 (0.92 to 1.42) | -1.47 (-7.70 to 27.70)    |
| GRZ12 + ELB12 + RBV12              |                                   | 0.59 (0.09 to 1.08) | -38.74 (-87.02 to 6.42)   |
| DCV12 + ASU12 + BEC12              |                                   | 0.94 (0.84 to 1.34) | -5.98 (-15.59 to 22.79)   |
| GRZ12 + ELB12 (50 mg q.d.)         |                                   | 0.90 (0.56 to 1.31) | -9.71 (-42.61 to 21.09)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                                   | 0.30 (0.03 to 0.90) | -65.06 (-93.71 to -8.47)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                                   | 0.53 (0.00 to 1.19) | -43.25 (-97.94 to 14.89)  |
| DCV24 + ASU24                      | PAR/RIT12 + OMB12 + DAS12 + RBV12 | 0.94 (0.87 to 1.00) | -5.84 (-12.56 to 0.20)    |
| DCV12 + SOF12                      |                                   | 0.97 (0.64 to 1.06) | -2.46 (-34.89 to 5.79)    |
| SOF12 + PR12                       |                                   | 0.92 (0.67 to 1.02) | -7.78 (-31.04 to 1.82)    |
| B24 PR28-48 RGT                    |                                   | 0.80 (0.66 to 0.90) | -19.66 (-32.79 to -9.17)  |
| SIM12 + SOF12                      |                                   | 0.94 (0.39 to 1.06) | -5.51 (-58.38 to 5.56)    |
| SOF12 + SIM12 + RBV12              |                                   | 0.93 (0.46 to 1.06) | -7.16 (-52.02 to 5.09)    |
| GRZ12 + ELB12                      |                                   | 0.99 (0.93 to 1.05) | -0.95 (-6.51 to 4.62)     |
| GRZ12 + ELB12 + RBV12              |                                   | 0.58 (0.08 to 0.98) | -40.30 (-87.83 to -1.70)  |
| DCV12 + ASU12 + BEC12              |                                   | 0.94 (0.85 to 1.01) | -5.75 (-14.46 to 1.10)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                                   | 0.89 (0.56 to 1.02) | -10.54 (-42.15 to 2.25)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                                   | 0.30 (0.03 to 0.86) | -67.28 (-93.66 to -13.63) |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                                   | 0.52 (0.00 to 1.06) | -46.01 (-96.36 to 5.13)   |
| DCV12 + SOF12                      | DCV24 + ASU24                     | 1.04 (0.68 to 1.15) | 3.20 (-28.24 to 13.02)    |
| SOF12 + PR12                       |                                   | 0.98 (0.71 to 1.11) | -1.93 (-26.34 to 9.12)    |
| B24 PR28-48 RGT                    |                                   | 0.85 (0.70 to 0.97) | -13.69 (-27.30 to -2.80)  |
| SIM12 + SOF12                      |                                   | 1.01 (0.42 to 1.15) | 0.46 (-52.36 to 12.98)    |
| SOF12 + SIM12 + RBV12              |                                   | 0.99 (0.49 to 1.14) | -1.21 (-46.37 to 11.99)   |
| GRZ12 + ELB12                      |                                   | 1.06 (0.98 to 1.14) | 4.93 (-1.44 to 11.87)     |
| GRZ12 + ELB12 + RBV12              |                                   | 0.62 (0.09 to 1.05) | -34.48 (-82.06 to 4.25)   |
| DCV12 + ASU12 + BEC12              |                                   | 1.00 (0.90 to 1.09) | 0.08 (-9.28 to 8.03)      |
| GRZ12 + ELB12 (50 mg q.d.)         |                                   | 0.95 (0.60 to 1.11) | -4.74 (-36.62 to 9.34)    |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                                   | 0.31 (0.03 to 0.91) | -61.47 (-88.03 to -7.82)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                                   | 0.55 (0.00 to 1.14) | -40.12 (-91.06 to 11.86)  |
| SOF12 + PR12                       | DCV12 + SOF12                     | 0.95 (0.69 to 1.44) | -4.57 (-30.00 to 27.32)   |
| B24 PR28-48 RGT                    |                                   | 0.83 (0.66 to 1.26) | -16.32 (-32.47 to 15.93)  |
| SIM12 + SOF12                      |                                   | 0.97 (0.41 to 1.49) | -2.40 (-55.67 to 30.86)   |
| SOF12 + SIM12 + RBV12              |                                   | 0.96 (0.47 to 1.42) | -3.51 (-49.61 to 27.48)   |
| GRZ12 + ELB12                      |                                   | 1.02 (0.93 to 1.55) | 1.63 (-6.87 to 33.45)     |
| GRZ12 + ELB12 + RBV12              |                                   | 0.61 (0.09 to 1.20) | -35.78 (-85.06 to 13.81)  |
| DCV12 + ASU12 + BEC12              |                                   | 0.97 (0.85 to 1.47) | -3.00 (-14.57 to 28.59)   |
| GRZ12 + ELB12 (50 mg q.d.)         |                                   | 0.92 (0.59 to 1.41) | -7.18 (-39.35 to 25.97)   |



| TREATMENT                          | REFERENCE             | RR (95% CRI)        | RD % (95% CRL)           |
|------------------------------------|-----------------------|---------------------|--------------------------|
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                       | 0.32 (0.03 to 0.96) | -60.97 (-92.59 to -2.93) |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                       | 0.55 (0.00 to 1.29) | -39.97 (-96.53 to 21.28) |
| B24 PR28-48 RGT                    | SOF12 + PR12          | 0.87 (0.70 to 1.20) | -11.51 (-27.44 to 13.31) |
| SIM12 + SOF12                      |                       | 1.02 (0.44 to 1.44) | 1.70 (-48.39 to 28.93)   |
| SOF12 + SIM12 + RBV12              |                       | 1.01 (0.51 to 1.42) | 0.41 (-44.27 to 28.03)   |
| GRZ12 + ELB12                      |                       | 1.08 (0.96 to 1.48) | 6.83 (-3.67 to 30.87)    |
| GRZ12 + ELB12 + RBV12              |                       | 0.64 (0.09 to 1.20) | -30.58 (-80.84 to 14.33) |
| DCV12 + ASU12 + BEC12              |                       | 1.02 (0.89 to 1.40) | 2.02 (-10.49 to 25.92)   |
| GRZ12 + ELB12 (50 mg q.d.)         |                       | 0.97 (0.61 to 1.38) | -2.52 (-35.31 to 25.00)  |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                       | 0.33 (0.03 to 1.00) | -56.92 (-88.16 to 0.17)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                       | 0.58 (0.00 to 1.33) | -36.17 (-92.57 to 23.57) |
| SIM12 + SOF12                      | B24 PR28-48 RGT       | 1.18 (0.50 to 1.48) | 13.57 (-38.71 to 31.38)  |
| SOF12 + SIM12 + RBV12              |                       | 1.16 (0.57 to 1.47) | 11.96 (-33.68 to 30.82)  |
| GRZ12 + ELB12                      |                       | 1.25 (1.10 to 1.51) | 18.68 (8.27 to 32.26)    |
| GRZ12 + ELB12 + RBV12              |                       | 0.73 (0.10 to 1.28) | -20.29 (-69.06 to 20.01) |
| DCV12 + ASU12 + BEC12              |                       | 1.18 (1.02 to 1.44) | 13.75 (1.29 to 27.80)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                       | 1.12 (0.69 to 1.43) | 8.82 (-24.11 to 27.64)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                       | 0.38 (0.03 to 1.10) | -46.95 (-76.50 to 7.14)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                       | 0.66 (0.00 to 1.42) | -25.94 (-79.66 to 28.61) |
| SOF12 + SIM12 + RBV12              | SIM12 + SOF12         | 0.99 (0.52 to 2.05) | -1.04 (-44.22 to 44.37)  |
| GRZ12 + ELB12                      |                       | 1.05 (0.93 to 2.50) | 4.60 (-6.71 to 56.95)    |
| GRZ12 + ELB12 + RBV12              |                       | 0.65 (0.09 to 1.57) | -30.44 (-84.08 to 26.12) |
| DCV12 + ASU12 + BEC12              |                       | 1.00 (0.86 to 2.39) | -0.27 (-14.16 to 52.36)  |
| GRZ12 + ELB12 (50 mg q.d.)         |                       | 0.95 (0.58 to 2.23) | -4.34 (-39.55 to 47.42)  |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                       | 0.34 (0.03 to 1.14) | -55.86 (-92.11 to 8.20)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                       | 0.59 (0.00 to 1.79) | -34.00 (-96.37 to 39.79) |
| GRZ12 + ELB12                      | SOF12 + SIM12 + RBV12 | 1.07 (0.94 to 2.15) | 6.22 (-5.99 to 50.93)    |
| GRZ12 + ELB12 + RBV12              |                       | 0.66 (0.09 to 1.42) | -28.76 (-83.82 to 23.28) |
| DCV12 + ASU12 + BEC12              |                       | 1.02 (0.86 to 2.05) | 1.44 (-13.30 to 46.36)   |
| GRZ12 + ELB12 (50 mg q.d.)         |                       | 0.97 (0.59 to 1.97) | -2.98 (-37.96 to 42.97)  |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                       | 0.34 (0.03 to 1.08) | -54.02 (-91.68 to 4.86)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                       | 0.59 (0.00 to 1.70) | -33.17 (-95.52 to 37.38) |
| GRZ12 + ELB12 + RBV12              | GRZ12 + ELB12         | 0.58 (0.08 to 0.99) | -39.34 (-87.14 to -0.74) |
| DCV12 + ASU12 + BEC12              |                       | 0.95 (0.86 to 1.02) | -4.84 (-13.84 to 2.19)   |
| GRZ12 + ELB12 (50 mg q.d.)         |                       | 0.90 (0.57 to 1.04) | -9.50 (-41.33 to 3.51)   |

| TREATMENT                          | REFERENCE                       | RR (95% CRI)             | RD % (95% CRL)            |
|------------------------------------|---------------------------------|--------------------------|---------------------------|
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                                 | 0.30 (0.03 to 0.86)      | -66.26 (-92.61 to -12.80) |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                                 | 0.53 (0.00 to 1.07)      | -44.87 (-95.51 to 6.09)   |
| DCV12 + ASU12 + BEC12              | GRZ12 + ELB12 + RBV12           | 1.62 (0.95 to 11.48)     | 34.27 (-4.46 to 82.90)    |
| GRZ12 + ELB12 (50 mg q.d.)         |                                 | 1.48 (0.95 to 10.11)     | 26.27 (-3.99 to 74.87)    |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                                 | 0.56 (0.17 to 1.11)      | -20.54 (-48.89 to 3.61)   |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                                 | 0.93 (0.00 to 7.53)      | -3.84 (-83.79 to 78.41)   |
| GRZ12 + ELB12 (50 mg q.d.)         | DCV12 + ASU12 + BEC12           | 0.95 (0.60 to 1.12)      | -4.66 (-36.57 to 10.26)   |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    |                                 | 0.32 (0.03 to 0.91)      | -61.14 (-88.63 to -7.53)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                                 | 0.56 (0.00 to 1.15)      | -39.89 (-91.71 to 12.52)  |
| GRZ8 + ELB8 (50 mg q.d.) + RBV8    | GRZ12 + ELB12 (50 mg q.d.)      | 0.35 (0.03 to 0.89)      | -51.08 (-82.86 to -9.63)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 |                                 | 0.61 (0.00 to 1.52)      | -32.45 (-92.02 to 32.26)  |
| GRZ12 + ELB12 (50 mg q.d.) + RBV12 | GRZ8 + ELB8 (50 mg q.d.) + RBV8 | 1.45 (0.01 to 22.94)     | 15.27 (-65.79 to 89.87)   |
|                                    |                                 |                          |                           |
| Random effect model                | Residual deviance               | 66.91 vs. 70 data points |                           |
|                                    | Deviance information criteria   | 400.176                  |                           |
| Fixed effect model                 | Residual deviance               | 69.48 vs. 70 data points |                           |
|                                    | Deviance information criteria   | 400.172                  |                           |

ASU = asunaprevir; B = boceprevir; BEC = beclabuvir; Crl = credible interval; DAS = dasabuvir; DCV = daclatasvir; ELB = elbasvir; GRZ = grazoprevir; LDV = ledipasvir; OMB = ombitasvir; PAR = paritaprevir; PR = pegylated interferon plus ribavirin; q8 = every 8 hours; q12 = every 12 hours; q.d. = once daily; RBV = ribavirin; RD = risk difference; RGT = response-guided therapy; RIT = ritonavir; RR = relative risk; SIM = simeprevir; SOF = sofosbuvir; SVR = sustained virologic response; T = telaprevir; vs. = versus. Note: Please refer to Treatment Regimen Nomenclature table for description of dosages.