

**Sensitivity Analysis — Inclusion of SOF8 + LDV8
Naive Genotype 1 Without Cirrhosis**

TABLE 176: NAIVE GENOTYPE 1 WITHOUT CIRRHOSIS: RELATIVE RISKS AND RISK DIFFERENCE FOR ALL TREATMENT COMPARISONS — RANDOM EFFECTS MODEL

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF12 + LDV12	PR48	1.97 (1.76 to 2.22)	47.71 (40.91 to 53.53)
SOF8 + LDV8 + RBV8		1.92 (1.64 to 2.18)	45.49 (33.11 to 52.30)
SOF12 + LDV12 + RBV12		1.96 (1.77 to 2.22)	47.51 (41.07 to 53.56)
SOF24 + LDV24 + RBV24		1.98 (1.77 to 2.24)	48.40 (41.27 to 54.40)
T12 PR24-48 RGT q8		1.55 (1.30 to 1.75)	27.13 (14.98 to 34.97)
T12 PR24-48 RGT q12		1.52 (1.21 to 1.75)	25.66 (10.44 to 34.87)
T12 PR48 q8		1.59 (1.00 to 2.05)	29.26 (−0.07 to 47.72)
SOF12 PR24-48 RGT		1.73 (1.27 to 2.05)	36.06 (13.41 to 47.98)
SIM12 PR24-48 RGT		1.59 (1.41 to 1.78)	29.04 (20.84 to 35.89)
B44 PR48		1.77 (1.42 to 2.09)	38.15 (21.13 to 49.07)
SOF24 + RBV24		1.62 (1.27 to 1.88)	30.93 (13.61 to 40.82)
PAR/RIT12 + OMB12 + DAS12		1.92 (1.25 to 2.22)	46.29 (12.07 to 54.12)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.94 (1.75 to 2.18)	46.18 (39.96 to 51.92)
DCV24 + ASU24		1.82 (1.64 to 2.03)	40.37 (33.61 to 46.16)
DCV12 + SOF12		1.88 (1.21 to 2.21)	44.13 (10.70 to 53.77)
SOF12 + PR12		1.74 (1.18 to 2.04)	36.50 (9.10 to 47.90)
B24 PR28-48 RGT		1.54 (1.27 to 1.77)	26.60 (13.33 to 36.16)
SIM12 + SOF12		1.78 (0.75 to 2.18)	39.03 (−12.52 to 52.99)
SOF12 + SIM12 + RBV12		1.73 (0.71 to 2.16)	36.30 (−14.91 to 52.57)
SOF8 + LDV8		1.93 (1.66 to 2.19)	45.90 (34.30 to 52.72)
SOF8 + LDV8 + RBV8	SOF12 + LDV12	0.98 (0.88 to 1.01)	−2.04 (−11.29 to 0.73)
SOF12 + LDV12 + RBV12		1.00 (0.95 to 1.04)	−0.09 (−4.68 to 4.12)
SOF24 + LDV24 + RBV24		1.01 (0.96 to 1.06)	0.64 (−4.35 to 5.36)
T12 PR24-48 RGT q8		0.79 (0.66 to 0.87)	−20.54 (−32.78 to −11.90)
T12 PR24-48 RGT q12		0.77 (0.62 to 0.87)	−21.98 (−37.03 to −12.89)
T12 PR48 q8		0.81 (0.53 to 0.98)	−18.37 (−45.37 to −1.81)
SOF12 PR24-48 RGT		0.88 (0.65 to 1.00)	−11.46 (−33.55 to −0.36)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SIM12 PR24-48 RGT		0.81 (0.72 to 0.88)	-18.58 (-27.45 to -11.03)
B44 PR48		0.91 (0.73 to 1.00)	-9.18 (-26.11 to -0.10)
SOF24 + RBV24		0.83 (0.65 to 0.93)	-16.63 (-33.60 to -7.08)
PAR/RIT12 + OMB12 + DAS12		0.99 (0.64 to 1.05)	-1.05 (-35.17 to 4.64)
PAR/RIT12 + OMB12 + DAS12 + RBV12		0.99 (0.93 to 1.04)	-1.46 (-6.56 to 3.36)
DCV24 + ASU24		0.93 (0.85 to 0.99)	-7.26 (-14.21 to -1.13)
DCV12 + SOF12		0.97 (0.63 to 1.05)	-3.19 (-35.79 to 4.53)
SOF12 + PR12		0.88 (0.63 to 0.97)	-11.17 (-34.94 to -2.65)
B24 PR28-48 RGT		0.78 (0.64 to 0.89)	-21.05 (-34.61 to -10.62)
SIM12 + SOF12		0.91 (0.39 to 1.04)	-8.71 (-59.08 to 4.03)
SOF12 + SIM12 + RBV12		0.88 (0.37 to 1.04)	-11.37 (-60.86 to 3.41)
SOF8 + LDV8		0.98 (0.89 to 1.01)	-1.51 (-10.06 to 1.16)
SOF12 + LDV12 + RBV12	SOF8 + LDV8 + RBV8	1.02 (0.96 to 1.16)	2.01 (-3.55 to 13.03)
SOF24 + LDV24 + RBV24		1.03 (0.97 to 1.17)	2.70 (-2.96 to 14.52)
T12 PR24-48 RGT q8		0.81 (0.68 to 0.94)	-18.11 (-30.65 to -5.53)
T12 PR24-48 RGT q12		0.80 (0.63 to 0.91)	-19.39 (-34.67 to -7.48)
T12 PR48 q8		0.83 (0.55 to 1.05)	-15.92 (-42.94 to 4.13)
SOF12 PR24-48 RGT		0.91 (0.67 to 1.07)	-8.90 (-31.62 to 6.30)
SIM12 PR24-48 RGT		0.83 (0.73 to 0.96)	-16.32 (-25.78 to -3.78)
B44 PR48		0.93 (0.75 to 1.08)	-6.78 (-24.07 to 6.71)
SOF24 + RBV24		0.85 (0.67 to 0.98)	-14.12 (-31.52 to -1.43)
PAR/RIT12 + OMB12 + DAS12		1.01 (0.65 to 1.15)	0.96 (-32.91 to 12.83)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.01 (0.95 to 1.15)	0.68 (-5.27 to 12.04)
DCV24 + ASU24		0.95 (0.87 to 1.09)	-5.06 (-12.77 to 7.23)
DCV12 + SOF12		0.99 (0.65 to 1.14)	-1.03 (-33.12 to 12.00)
SOF12 + PR12		0.91 (0.66 to 1.01)	-8.50 (-31.32 to 0.64)
B24 PR28-48 RGT		0.80 (0.66 to 0.95)	-18.64 (-32.48 to -4.21)
SIM12 + SOF12		0.93 (0.40 to 1.12)	-6.32 (-56.16 to 10.22)
SOF12 + SIM12 + RBV12		0.91 (0.38 to 1.12)	-8.82 (-58.60 to 9.99)
SOF8 + LDV8		1.00 (0.95 to 1.07)	0.37 (-4.69 to 6.29)
SOF24 + LDV24 + RBV24	SOF12 + LDV12 + RBV12	1.01 (0.95 to 1.06)	0.77 (-4.59 to 5.96)
T12 PR24-48 RGT q8		0.79 (0.66 to 0.88)	-20.37 (-32.70 to -11.87)
T12 PR24-48 RGT q12		0.78 (0.62 to 0.87)	-21.82 (-37.05 to -12.60)
T12 PR48 q8		0.81 (0.53 to 0.98)	-18.11 (-45.63 to -1.89)
SOF12 PR24-48 RGT		0.88 (0.66 to 0.99)	-11.21 (-32.88 to -0.61)
SIM12 PR24-48 RGT		0.81 (0.72 to 0.89)	-18.43 (-27.48 to -10.51)
B44 PR48		0.91 (0.73 to 1.00)	-9.16 (-25.98 to 0.31)
SOF24 + RBV24		0.83 (0.65 to 0.93)	-16.47 (-33.69 to -6.79)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
PAR/RIT12 + OMB12 + DAS12		0.99 (0.64 to 1.06)	-0.82 (-35.46 to 5.48)
PAR/RIT12 + OMB12 + DAS12 + RBV12		0.99 (0.93 to 1.04)	-1.35 (-6.65 to 3.74)
DCV24 + ASU24		0.93 (0.86 to 0.99)	-7.14 (-14.06 to -0.79)
DCV12 + SOF12		0.97 (0.63 to 1.05)	-3.03 (-35.66 to 4.70)
SOF12 + PR12		0.89 (0.61 to 0.99)	-10.98 (-37.05 to -0.67)
B24 PR28-48 RGT		0.78 (0.64 to 0.89)	-20.91 (-34.62 to -10.38)
SIM12 + SOF12		0.91 (0.39 to 1.04)	-8.40 (-59.59 to 4.04)
SOF12 + SIM12 + RBV12		0.89 (0.37 to 1.04)	-11.10 (-61.18 to 3.30)
SOF8 + LDV8		0.98 (0.88 to 1.04)	-1.48 (-11.77 to 3.75)
T12 PR24-48 RGT q8	SOF24 + LDV24 + RBV24	0.78 (0.66 to 0.87)	-21.16 (-33.77 to -12.21)
T12 PR24-48 RGT q12		0.77 (0.61 to 0.87)	-22.62 (-38.18 to -12.73)
T12 PR48 q8		0.81 (0.52 to 0.97)	-18.89 (-46.63 to -2.66)
SOF12 PR24-48 RGT		0.88 (0.65 to 0.99)	-12.05 (-34.12 to -1.09)
SIM12 PR24-48 RGT		0.80 (0.71 to 0.88)	-19.25 (-28.34 to -11.14)
B44 PR48		0.90 (0.73 to 1.00)	-9.93 (-26.84 to -0.32)
SOF24 + RBV24		0.82 (0.64 to 0.92)	-17.27 (-34.67 to -7.24)
PAR/RIT12 + OMB12 + DAS12		0.98 (0.64 to 1.03)	-1.50 (-34.62 to 2.70)
PAR/RIT12 + OMB12 + DAS12 + RBV12		0.98 (0.92 to 1.04)	-2.14 (-7.56 to 3.33)
DCV24 + ASU24		0.92 (0.85 to 0.99)	-7.95 (-14.88 to -1.38)
DCV12 + SOF12		0.96 (0.63 to 1.04)	-3.68 (-36.47 to 3.55)
SOF12 + PR12		0.88 (0.61 to 0.99)	-11.70 (-37.97 to -1.13)
B24 PR28-48 RGT		0.78 (0.64 to 0.89)	-21.64 (-35.33 to -10.98)
SIM12 + SOF12		0.91 (0.39 to 1.03)	-9.21 (-59.94 to 2.85)
SOF12 + SIM12 + RBV12		0.88 (0.37 to 1.02)	-11.92 (-61.96 to 2.15)
SOF8 + LDV8		0.98 (0.86 to 1.03)	-2.13 (-13.24 to 3.11)
T12 PR24-48 RGT q12	T12 PR24-48 RGT q8	0.98 (0.83 to 1.11)	-1.38 (-13.09 to 7.70)
T12 PR48 q8		1.03 (0.66 to 1.34)	2.48 (-27.10 to 22.75)
SOF12 PR24-48 RGT		1.12 (0.82 to 1.38)	9.13 (-14.15 to 24.96)
SIM12 PR24-48 RGT		1.03 (0.90 to 1.23)	1.95 (-8.39 to 14.84)
B44 PR48		1.14 (0.91 to 1.40)	11.08 (-6.83 to 26.32)
SOF24 + RBV24		1.05 (0.86 to 1.22)	3.79 (-10.93 to 15.09)
PAR/RIT12 + OMB12 + DAS12		1.24 (0.81 to 1.50)	18.80 (-15.00 to 32.41)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.25 (1.14 to 1.47)	19.06 (11.42 to 30.23)
DCV24 + ASU24		1.17 (1.04 to 1.41)	13.20 (3.58 to 26.05)
DCV12 + SOF12		1.22 (0.79 to 1.48)	16.79 (-16.40 to 31.15)
SOF12 + PR12		1.12 (0.77 to 1.37)	9.21 (-17.63 to 24.81)
B24 PR28-48 RGT		0.99 (0.81 to 1.22)	-0.48 (-15.00 to 14.90)
SIM12 + SOF12		1.15 (0.49 to 1.47)	11.45 (-39.01 to 30.67)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF12 + SIM12 + RBV12		1.12 (0.47 to 1.45)	9.07 (-41.63 to 29.88)
SOF8 + LDV8		1.24 (1.08 to 1.48)	18.61 (6.57 to 31.21)
T12 PR48 q8	T12 PR24-48 RGT q12	1.05 (0.67 to 1.42)	4.06 (-26.43 to 26.41)
SOF12 PR24-48 RGT		1.14 (0.83 to 1.47)	10.64 (-12.77 to 29.04)
SIM12 PR24-48 RGT		1.05 (0.91 to 1.31)	3.39 (-7.01 to 18.59)
B44 PR48		1.17 (0.92 to 1.49)	12.69 (-6.06 to 30.07)
SOF24 + RBV24		1.07 (0.94 to 1.22)	5.10 (-4.34 to 14.24)
PAR/RIT12 + OMB12 + DAS12		1.26 (0.83 to 1.60)	20.11 (-12.95 to 36.32)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.28 (1.16 to 1.56)	20.57 (13.08 to 33.24)
DCV24 + ASU24		1.20 (1.05 to 1.51)	14.61 (4.39 to 30.41)
DCV12 + SOF12		1.24 (0.80 to 1.58)	17.99 (-15.02 to 35.32)
SOF12 + PR12		1.14 (0.80 to 1.44)	10.57 (-15.43 to 27.51)
B24 PR28-48 RGT		1.01 (0.83 to 1.30)	0.88 (-13.62 to 18.79)
SIM12 + SOF12		1.17 (0.50 to 1.57)	12.87 (-37.66 to 34.98)
SOF12 + SIM12 + RBV12		1.14 (0.48 to 1.55)	10.45 (-39.15 to 33.94)
SOF8 + LDV8		1.26 (1.11 to 1.59)	19.91 (8.51 to 35.08)
SOF12 PR24-48 RGT	T12 PR48 q8	1.08 (0.77 to 1.68)	6.29 (-19.97 to 35.95)
SIM12 PR24-48 RGT		1.00 (0.79 to 1.56)	-0.29 (-19.73 to 28.86)
B44 PR48		1.11 (0.84 to 1.73)	8.71 (-14.79 to 38.23)
SOF24 + RBV24		1.01 (0.75 to 1.60)	1.11 (-22.11 to 31.45)
PAR/RIT12 + OMB12 + DAS12		1.19 (0.77 to 1.87)	15.50 (-18.72 to 44.78)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.21 (1.00 to 1.87)	16.66 (0.36 to 44.55)
DCV24 + ASU24		1.14 (0.92 to 1.76)	10.93 (-7.02 to 39.07)
DCV12 + SOF12		1.16 (0.88 to 1.67)	12.80 (-8.81 to 36.07)
SOF12 + PR12		1.08 (0.73 to 1.67)	6.59 (-23.46 to 35.61)
B24 PR28-48 RGT		0.96 (0.73 to 1.53)	-2.81 (-24.52 to 27.51)
SIM12 + SOF12		1.11 (0.46 to 1.79)	8.80 (-45.70 to 42.11)
SOF12 + SIM12 + RBV12		1.08 (0.43 to 1.76)	6.49 (-48.13 to 40.49)
SOF8 + LDV8		1.21 (0.96 to 1.84)	16.26 (-3.23 to 43.34)
SIM12 PR24-48 RGT	SOF12 PR24-48 RGT	0.92 (0.78 to 1.25)	-7.08 (-20.80 to 16.11)
B44 PR48		1.02 (0.81 to 1.39)	2.05 (-17.55 to 25.43)
SOF24 + RBV24		0.94 (0.72 to 1.28)	-5.48 (-25.15 to 18.27)
PAR/RIT12 + OMB12 + DAS12		1.10 (0.73 to 1.50)	9.07 (-23.26 to 32.12)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.12 (0.99 to 1.51)	9.86 (-0.92 to 32.26)
DCV24 + ASU24		1.05 (0.92 to 1.41)	4.10 (-7.78 to 26.26)
DCV12 + SOF12		1.08 (0.72 to 1.46)	7.14 (-24.72 to 30.16)
SOF12 + PR12		1.01 (0.67 to 1.37)	0.51 (-29.62 to 24.46)
B24 PR28-48 RGT		0.89 (0.71 to 1.22)	-9.46 (-26.13 to 14.55)
SIM12 + SOF12		1.03 (0.44 to 1.43)	2.67 (-48.90 to 28.71)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF12 + SIM12 + RBV12		1.00 (0.42 to 1.39)	0.16 (-50.08 to 26.36)
SOF8 + LDV8		1.11 (0.94 to 1.50)	9.47 (-5.18 to 31.79)
B44 PR48	SIM12 PR24-48 RGT	1.12 (0.89 to 1.31)	9.12 (-8.64 to 21.82)
SOF24 + RBV24		1.02 (0.80 to 1.18)	1.90 (-15.54 to 13.20)
PAR/RIT12 + OMB12 + DAS12		1.21 (0.78 to 1.39)	16.94 (-17.24 to 27.52)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.22 (1.12 to 1.37)	17.11 (9.65 to 25.63)
DCV24 + ASU24		1.14 (1.03 to 1.29)	11.34 (2.63 to 20.37)
DCV12 + SOF12		1.19 (0.77 to 1.37)	15.00 (-18.25 to 26.48)
SOF12 + PR12		1.09 (0.75 to 1.28)	7.35 (-19.45 to 20.60)
B24 PR28-48 RGT		0.97 (0.79 to 1.13)	-2.43 (-16.54 to 9.75)
SIM12 + SOF12		1.12 (0.48 to 1.36)	9.79 (-40.96 to 25.98)
SOF12 + SIM12 + RBV12		1.09 (0.46 to 1.35)	7.30 (-43.27 to 25.30)
SOF8 + LDV8		1.21 (1.06 to 1.37)	16.76 (4.88 to 26.34)
SOF24 + RBV24	B44 PR48	0.92 (0.71 to 1.16)	-7.30 (-26.74 to 11.93)
PAR/RIT12 + OMB12 + DAS12		1.08 (0.70 to 1.35)	7.33 (-26.49 to 25.01)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.09 (0.98 to 1.35)	7.89 (-1.83 to 24.60)
DCV24 + ASU24		1.02 (0.91 to 1.26)	2.07 (-8.67 to 18.93)
DCV12 + SOF12		1.06 (0.69 to 1.33)	5.59 (-27.94 to 23.76)
SOF12 + PR12		0.98 (0.67 to 1.24)	-1.86 (-29.55 to 17.98)
B24 PR28-48 RGT		0.87 (0.70 to 1.10)	-11.46 (-27.66 to 7.28)
SIM12 + SOF12		1.01 (0.43 to 1.32)	0.63 (-51.27 to 23.29)
SOF12 + SIM12 + RBV12		0.98 (0.41 to 1.28)	-2.02 (-52.17 to 21.01)
SOF8 + LDV8		1.08 (0.93 to 1.34)	7.30 (-6.22 to 24.63)
PAR/RIT12 + OMB12 + DAS12	SOF24 + RBV24	1.18 (0.77 to 1.52)	14.66 (-18.37 to 32.95)
PAR/RIT12 + OMB12 + DAS12 + RBV12		1.19 (1.08 to 1.49)	15.20 (6.84 to 30.75)
DCV24 + ASU24		1.12 (0.98 to 1.43)	9.37 (-1.46 to 27.17)
DCV12 + SOF12		1.16 (0.76 to 1.50)	12.72 (-20.48 to 31.75)
SOF12 + PR12		1.07 (0.74 to 1.37)	5.44 (-21.55 to 24.18)
B24 PR28-48 RGT		0.95 (0.77 to 1.23)	-4.35 (-19.53 to 14.91)
SIM12 + SOF12		1.09 (0.47 to 1.47)	7.50 (-42.91 to 30.67)
SOF12 + SIM12 + RBV12		1.06 (0.45 to 1.46)	5.13 (-44.85 to 29.85)
SOF8 + LDV8		1.18 (1.03 to 1.51)	14.65 (2.38 to 32.10)
PAR/RIT12 + OMB12 + DAS12 + RBV12	PAR/RIT12 + OMB12 + DAS12	0.99 (0.93 to 1.55)	-0.58 (-6.86 to 33.84)
DCV24 + ASU24		0.94 (0.86 to 1.46)	-6.10 (-14.18 to 28.36)
DCV12 + SOF12		0.98 (0.64 to 1.50)	-1.57 (-34.34 to 31.10)
SOF12 + PR12		0.91 (0.63 to 1.38)	-8.83 (-35.20 to 23.85)
B24 PR28-48 RGT		0.80 (0.65 to 1.24)	-19.14 (-33.76 to 15.28)
SIM12 + SOF12		0.93 (0.40 to 1.43)	-6.30 (-56.43 to 27.08)
SOF12 + SIM12 + RBV12		0.91 (0.38 to 1.35)	-8.39 (-59.10 to 23.55)

TREATMENT	REFERENCE	RR (95% CRI)	RD % (95% CRL)
SOF8 + LDV8		1.00 (0.88 to 1.53)	-0.42 (-11.63 to 33.10)
DCV24 + ASU24	PAR/RIT12 + OMB12 + DAS12 + RBV12	0.94 (0.87 to 1.01)	-5.77 (-12.59 to 0.43)
DCV12 + SOF12		0.98 (0.64 to 1.07)	-1.63 (-34.37 to 6.19)
SOF12 + PR12		0.90 (0.62 to 1.01)	-9.64 (-36.36 to 1.33)
B24 PR28-48 RGT		0.80 (0.65 to 0.91)	-19.56 (-33.04 to -8.94)
SIM12 + SOF12		0.92 (0.40 to 1.07)	-7.22 (-57.83 to 6.01)
SOF12 + SIM12 + RBV12		0.90 (0.38 to 1.06)	-9.79 (-59.84 to 5.42)
SOF8 + LDV8		1.00 (0.89 to 1.06)	-0.15 (-10.93 to 5.54)
DCV12 + SOF12	DCV24 + ASU24	1.04 (0.68 to 1.16)	3.85 (-28.79 to 13.49)
SOF12 + PR12		0.96 (0.66 to 1.10)	-3.85 (-30.79 to 8.28)
B24 PR28-48 RGT		0.85 (0.70 to 0.97)	-13.75 (-27.42 to -2.66)
SIM12 + SOF12		0.98 (0.42 to 1.15)	-1.35 (-52.52 to 12.76)
SOF12 + SIM12 + RBV12		0.96 (0.40 to 1.14)	-3.96 (-54.24 to 11.93)
SOF8 + LDV8		1.06 (0.93 to 1.16)	5.55 (-6.26 to 13.07)
SOF12 + PR12	DCV12 + SOF12	0.93 (0.64 to 1.40)	-6.94 (-34.63 to 25.19)
B24 PR28-48 RGT		0.82 (0.66 to 1.26)	-17.06 (-33.02 to 15.98)
SIM12 + SOF12		0.96 (0.40 to 1.45)	-4.16 (-56.85 to 28.96)
SOF12 + SIM12 + RBV12		0.93 (0.38 to 1.45)	-6.45 (-58.50 to 28.29)
SOF8 + LDV8		1.02 (0.89 to 1.55)	1.45 (-11.09 to 34.02)
B24 PR28-48 RGT	SOF12 + PR12	0.89 (0.71 to 1.30)	-9.79 (-26.08 to 18.17)
SIM12 + SOF12		1.02 (0.45 to 1.52)	1.99 (-46.60 to 32.52)
SOF12 + SIM12 + RBV12		1.00 (0.44 to 1.47)	-0.21 (-48.00 to 29.96)
SOF8 + LDV8		1.10 (1.00 to 1.54)	8.96 (-0.01 to 32.16)
SIM12 + SOF12	B24 PR28-48 RGT	1.16 (0.49 to 1.49)	12.00 (-39.32 to 31.46)
SOF12 + SIM12 + RBV12		1.12 (0.47 to 1.47)	9.51 (-41.77 to 30.38)
SOF8 + LDV8		1.25 (1.07 to 1.52)	19.05 (5.42 to 32.90)
SOF12 + SIM12 + RBV12	SIM12 + SOF12	0.98 (0.46 to 2.06)	-2.09 (-47.38 to 45.20)
SOF8 + LDV8		1.08 (0.91 to 2.51)	6.79 (-9.02 to 56.80)
SOF8 + LDV8	SOF12 + SIM12 + RBV12	1.11 (0.91 to 2.64)	9.22 (-8.75 to 59.31)
Random effect model	Residual deviance	59.55 vs. 63 data points	
	Deviance information criteria	355.779	
Fixed effect model	Residual deviance	61.93 vs. 63 data points	
	Deviance information criteria	355.412	

ASU = asunaprevir; B = boceprevir; BEC = beclabuvir; Crl = credible interval; DAS = dasabuvir; DCV = daclatasvir; ELB = elbasvir; GRZ = grazoprevir; LDV = ledipasvir; OMB = ombitasvir; PAR = paritaprevir; PR = pegylated interferon plus ribavirin; q8 = every 8 hours; q12 = every 12 hours; RBV = ribavirin; RD = risk difference; RGT = response-guided therapy; RIT = ritonavir; RR = relative risk; SIM = simeprevir; SOF = sofosbuvir; SVR = sustained virologic response; T = telaprevir; vs. = versus.

Note: Please refer to Treatment Regimen Nomenclature table for description of dosages.