

TABLE 208: FLU-LIKE SYMPTOMS/SUICIDAL IDEATION

AUTHOR, YEAR, STUDY NAME	GENOTYPE	TREATMENT	FLU-LIKE SYMPTOMS			SUICIDAL IDEATION		
			n	N	%	n	N	%
Bacon et al., 2011 RESPOND2	1	(1) PR48	20	80	25%	0	80	0%
		(74) B32 PR36-48 RGT	38	162	23%	2	162	1%
Gane et al., 2013-2 ELECTRON	1	(3) SOF12 + RBV12	0	10	0%	NR		
Gane et al., 2014-2 ELECTRON	1	(10) SOF12 + LDV12 + RBV12	0	9	0%	NR		
Gane et al., 2014-3 ELECTRON	1	(10) SOF12 + LDV12 + RBV12	0	9	0%	NR		
Forns et al., 2014 PROMISE	1	(1) PR48	27	133	20%	NR		
		(42) SIM12 PR24-48 RGT	78	260	30%			
Jensen et al., 2015 HALLMARK-QUAD	1+4	(18) DCV24 + ASU24 + PR24	89	398	22%	NR		
Lawitz et al., 2014 LONESTAR	1	(6) SOF12 + LDV12	NR			0	19	0%
		(10) SOF12 + LDV12 + RBV12				1	21	5%
Lawitz et al., 2014	2+3	(40) SOF12 + PR12	26	47	55%	NR		
Manns et al., 2014 HALLMARK-DUAL	1b	(17) DCV24 + ASU24	7	205	3%	NR		
Pol et al., 2015 NA	1	(40) SOF12 + PR12	15	80	19%	NR		
Reddy et al., 2015 ATTAIN	1	(39) T12 PR48 q8	66	384	17%	NR		
		(68) SIM12 PR48	62	379	16%			
Zeuzem et al., 2011 REALIZE	1	(1) PR48	33	132	25%	NR		
		(39) T12 PR48 q8	85	266	32%			
Zeuzem et al., 2014 ASPIRE	1	(1) PR48	13	66	20%	NR		
		(68) SIM12 PR48	16	66	24%			

ASU = asunaprevir; B = boceprevir; BEC = beclabuvir; b.i.d. = twice daily; DAS = dasabuvir; DCV = daclatasvir; ELB = elbasvir; GRZ = grazoprevir; LDV = ledipasvir; OMB = ombitasvir; PAR = paritaprevir; PR = pegylated interferon plus ribavirin; q8 = every 8 hours; q12 = every 12 hours; q.d. = once daily; RBV = ribavirin; RGT = response-guided therapy; RIT = ritonavir; SIM = simeprevir; SOF = sofosbuvir; T = telaprevir.

Note: Please refer to Treatment Regimen Nomenclature table for description of dosages.